

Tel: +86-760-86893282

Fax: +86-760-86893381

Email: info@luxgend.com

Web: www.luxgend.com

LUXGENB
The Light Instrumentalist

L I G H T For Outdoor

PRODUCT CATALOG



ABOUT US



■ Luxgend Electronics Co., Ltd. located in Zhongshan of Guangdong, is a dedicated manufacturer with capacities of design, development and production of utility LED lights, including work lights, spotlights, lanterns, auto lights, etc.

■ We are a dedicated manufacturer with capacities of research & development, production, and sales of utility LED lighting products, including work lights, spotlights, outdoor lanterns, auto lights, floodlights, etc.




■ Our manufacturing capabilities involve tooling & injection, SMT & electronic assembly, and line productions in house, as well as a strategic partnership of CNC machining and other metallic processing. We're aiming at a certain advantage by integrating various technologies to facilitate our commitment to the customers.

CERTIFICATE




OUR TEAM




LUXGENE
诚信利他 系统思考 追求卓越 不忘初心

OUR ADVANTAGES




IN-HOUSE DESIGNING ADVANTAGE



EQUIPMENT



In-House Testing & Verification



Quality is not built by exorbitant materials, it's the relentless, even paranoid pursuit of client's satisfactory that privileged your products, although we know it's a tough road.

PRODUCTION PROCESS





14
ITEM:
990



19
ITEM:
8404



20
ITEM:
8407



26
ITEM:
430



30
ITEM:
350



35
ITEM:
315



36
ITEM:
316



40
ITEM:
317



44
ITEM:
420



48
ITEM:
1101B



51
ITEM:
8401



52
ITEM:
8402



59
ITEM:
425



60
ITEM:
306



65
ITEM:
307



66
ITEM:
308



73
ITEM:
530



74
ITEM:
531



79
ITEM:
560



80
ITEM:
566



85

ITEM:
360



86

ITEM:
KC-L001



91

ITEM:
1808



92

ITEM:
1808A



97

ITEM:
1839



98

ITEM:
3841



104

ITEM:
3007



107

ITEM:
310



108

ITEM:
311



112

ITEM:
8420



115

ITEM:
WB-F001



116

ITEM:
WB-F002



121

ITEM:
TW-F010



122

ITEM:
8406

Remote Area Light

Rechargeable 10500 Lumen



LI-ION



25 HOURS
max



10500 LUMEN





IPX4





REMOTE AREA LIGHT



Li-ion



- IPX4 rated
- 10500 LM



Remote Area Light

Rechargeable 10500 Lumen



SPECIFICATIONS

ITEM	990
FLUX LUMEN (HI)	10500 lm
RUN TIME (HI)	6.5 hrs
FLUX LUMEN (MID)	5000 lm
RUN TIME (MID)	17 hrs
FLUX LUMEN (LO)	1700 lm
RUN TIME (LO)	25 hrs
CHARGING TIME	6 hrs
PRODUCT DIMENSION	515 × 175 × 270 mm
WEIGHT	7.5 kg
COLORS	Red, Black, Orange, Lemon yellow
OUTPUT	1 × PD 3.1 INPUT/OUTPUT
	1 × Type C OUTPUT 5V/3A 9V/2A 12V/1.5A
	1 × Type A OUTPUT 5V/3A 9V/2A 12V/1.5A
ACCESSORIES	AC/DC Adaptor
	DC 12V Car Lighter Adaptor
	Shoulder Belt

CAMPING LANTERN



- Two-way USB-C port
 - IN (5V/2.4A)
 - OUT (5V/2.4A)



IPX7



600 LM

- Metal hanger

- Hord for dimming

- Battery Indicator



- Magnet



- 360° COB frosty globe



- With SOS red strobe



- Aero-grade aluminum



- Up to 40% higher efficiency & illuminating area
- 600-lumen 360° rays ≈ 1000-lumen bouncing rays



Palm Size : 55 × 55 × 110 mm

CAMPING LANTERN



- Hold for dimming
- Two-way USB-C port
 - IN (5V/2.4A)
 - OUT (5V/2.4A)

-
- IPX7
-
- 600 LM

• Metal hanger



• 360° COB frosty globe



• Extra flashlight on the bottom



• Durable rubber bump



Palm Size : 55 × 55 × 110 mm



- Up to 40% higher efficiency & illuminating area
- 600-lumen 360° rays ≈ 1000-lumen bouncing rays

8404

COMPACT Hardcore LANTERN



SPECIFICATIONS

ITEM	8404
FLUX LUMEN (HI)	600 lm
RUN TIME LI-ION (HI)	4 hrs
FLUX LUMEN (LO)	10 lm
RUN TIME ON LION (LO)	150 hrs
POWER SOURCE	Li-ion battery 2600mAh
PRODUCT DIMENSION	55 × 55 × 110 mm
WEIGHT	200 g
COLORS	Black

8407

COMPACT Hardcore LANTERN



SPECIFICATIONS

ITEM	8407
FLUX LUMEN (HI)	600 Lm
RUN TIME LI-ION (HI)	4 Hrs
FLUX LUMEN (LO)	10 Lm
RUN TIME ON LION (LO)	150 Hrs
FLUX LUMEN OF FLASH LIGHT(HI)	200 Lm
RUN TIME ON FLASH LIGHT(HI)	8 Hrs
FLUX LUMEN OF FLASH LIGHT(LO)	20 Lm
RUN TIME ON FLASH LIGHT(LO)	64 Hrs
POWER SOURCE	Li-ion Battery
PRODUCT DIMENSION	55 × 55 × 110mm
WEIGHT	200 G
COLORS	Earth Grey/black
ACCESSORIES	1*type C Cable,1*manual

Dual Power Explorer Lantern

4AA/Li-ion 600 Lumen



Dual Power



99 HOURS
max



600 LUMEN



IPX4



1 METER

EXPLORER LANTERN



- **360° FROSTY GLOBE** dimming:
 - Hi
 - Low
 - Candle light




• USB port: 5V/1A IN

• Metal handle dipping coated

- Retro design metal shade
- iron cage



- IPX4
- 600 LM



- Up to 92% efficiency
- 600-lumen 360° rays ≈ 1000-lumen bouncing rays
- 40% bigger illuminating area

Dual Power Explorer Lantern

4AA/Li-ion 600 Lumen



430



SPECIFICATIONS



ITEM	430
FLUX LUMEN (HI)	600 lm
RUN TIME LI-ION (HI)	2 hrs
RUN TIME 4AA (HI)	3 hrs
FLUX LUMEN (LO)	50 lm
RUN TIME LI-ION (LO)	99 hrs
RUN TIME 4AA (LO)	75 hrs
POWER SOURCE	4AA(not included)+1 × 18650
PRODUCT DIMENSION	Φ11 × 17 cm
WEIGHT	500 g
COLORS	Earth grey/Black

FOLDABLE LAMP WITH SOLAR PANEL



- Foldable hanging hook



- COB light panel spotless
- With SOS red strobe



- Extra flashlight 200 lumens



- 2x0.45W solar panel (5V/200mA)
- Flexible strap for hanging



IPX4 rated



600 LM



- Two-way USB-C port
5V/1A Input
5V/1A output



FOLDABLE LAMP WITH SOLAR PANEL



SPECIFICATIONS

ITEM	350
Solar Panel	2x0.45W (200mA)
Flux Lumen (Hi)	600 lm
Run Time Li-ion (Hi)	2.0 hrs
Run Time (Red)	60 hrs
Flux Lumen (Lo)	30 lm
Run Time on Lion (Lo)	60 hrs
Flashlight	200 lm
Input Charging	5V/1A
Onput Charging	5V/1A
Power Source	Li-ion battery 2900mAH
Product Dimension	116 × 97 × 28mm
Weight	160 g
Accessories	1*type C cable

TENT LIGHT



IPX4




Max 300 LM



15 hr Max




STRING LIGHT



Type-C

•4-head per string



IPX4



1200 LM

•Recordable Scene Memo ×3




•Type-c connector



•Tuning knob

•In-line controller

- Intensity dimming 0-100%
- HSI color blending system
- CCT tuning



HSI



315

Rechargeable 300 Lumen Tent Light



SPECIFICATIONS

ITEM	315
FLUX LUMEN (HI)	300 lm
RUN TIME (HI)	2.7 hrs
FLUX LUMEN (MID)	150 lm
RUN TIME (MID)	6 hrs
FLUX LUMEN (LO)	50 lm
RUN TIME (LO)	15 hrs
POWER SOURCE	Li-ion Battery
PRODUCT DIMENSION	114 × 114 × 163 mm
WEIGHT	200 g
COLORS	Earth grey

316


String Light through Type-C 1200 Lumen



SPECIFICATIONS

ITEM	316
FLUX LUMEN (HI)	300 lm ×4
FLUX LUMEN (MID)	150 lm ×4
FLUX LUMEN (LO)	10 lm ×4
POWER SOURCE	Type - C /5V-2A
PRODUCT DIMENSION	114×114×165.4 mm ×4
WEIGHT	150 g ×4
COLORS	Earth grey

TENT LIGHT



Type-C



• Metal cage



IPX4



300 LM



• Snap hook hanger

• Robust metal shade

• Type-c connector

Tent Light



317

Tent Light through Type-C 300 Lumen



SPECIFICATIONS

ITEM	317
FLUX LUMEN	300 lm
POWER SOURCE	Type - C /5V-2A
PRODUCT DIMENSION	114×114×165.4 mm ×4
WEIGHT	150 g
COLORS	Earth grey

CAMPING LANTERN



4 x D

• Frosty globe

• Rubber bumper



• Metal handle dipping coated

• Multi mode:
- Hi
- Mid
- Low (candle light)

• USB port: 5V/1A



-  IPX4
-  1000 LM

EXPORER LANTERN




420
EXPLORER LANTERN

SPECIFICATIONS

ITEM	420
FLUX LUMEN (HI)	1000 lm
RUN TIME 4D (HI)	10 hrs
FLUX LUMEN (LO)	250 lm
RUN TIME (LO)	50 hrs
FLUX LUMEN (CANDLE LIGHT)	30 lm
RUN TIME (CANDLE LIGHT)	300 hrs
POWER SOURCE	4D Alkaline Battery (not included)
PRODUCT DIMENSION	112 × 112 × 250.5 mm
WEIGHT	530 g
COLORS	Earth grey
USB OUT	5V/1A

COLLAPSIBLE CAMPING LANTERN



3 x D



IPX4 rated



800 LM

• Restorable metal wire handle

• Flux 800 lumens

• Collapsable to restore

• Ergonomic portable design

• 1M-drop impact resistance

• Up to 60-hour battery life



CAMPING LANTERN

3D Stretch-out Lantern



1101B



SPECIFICATIONS

ITEM	1101B
FLUX LUMEN (HI)	800 lm
RUN TIME (HI)	8 hrs
FLUX LUMEN (LO)	10 lm
RUN TIME (LO)	120 hrs
POWER SOURCE	3D Alkaline Battery
PRODUCT DIMENSION	131 × 129 × 161 mm
WEIGHT	880 g
COLORS	Blue, Black

BACK YARD LANTERN



- Remote controller detachable to top hood by magnet



IPX4




800 LM



- Multi-mode: white, dimmer, party light, sleep light, emergency

- 1M-drop impact resistance
- IPX4 rated

8401



- Openable handle for easy hanging



IPX4



1000 LM





- Frosty globe

8402



- Charge up other devices
- Integrated USB cord for charging or power supply



- Compatible to 4 AA alkaline batteries



- UsB charging

8401

RECHARGEABLE 800 LUMEN
BACK YARD LANTERN WITH REMOTE



SPECIFICATIONS

ITEM	8401
FLUX LUMEN (HI)	800 lm
RUN TIME (HI)	4 hrs
FLUX LUMEN (LO)	200 lm
RUN TIME (LO)	20 hrs
MODES	White, Party, Sleep, Emergency, Dimmer
POWER SOURCE	Li-ion Battery
PRODUCT DIMENSION	152 × 152 × 225 mm
WEIGHT	800 g
COLORS	Grey with silver accent

8402

RECHARGEABLE 1000 LUMEN
BACK YARD LANTERN HYBRID



SPECIFICATIONS

ITEM	8402
FLUX LUMEN (HI)	1000 lm
RUN TIME (LI-ION ON HI)	4 hrs
RUN TIME (4AA ON HI)	2.5 hrs
FLUX LUMEN (LO)	200 lm
RUN TIME (LI-ION ON LO)	20 hrs
RUN TIME (4AA ON LO)	12 hrs
POWER SOURCE	Li-ion / 4AA (not included)
PRODUCT DIMENSION	152 × 152 × 225 mm
WEIGHT	800 g
COLORS	Grey with silver accent

KID'S LANTERN

120 Lumen Mini Camping Lantern



3 AAA



21 HOURS
max



120 LUMEN



IPX4



1 METER

LANTERN + HEADLAMP



• Soft silica gel handle




• Frosty lens

• Multi-mode switch

• Uses 3 AAA alkaline batteries



• With 2 x CR2032 button-cell batteries



• Adjustable angle

• Collimator lens provides soft & uniform light pattern



KID'S CAMP SET



Green



Purple



Yellow



Red



425

120 LUMEN MINI CAMPING LANTERN



SPECIFICATIONS

ITEM	425
FLUX LUMEN (HI)	120 lm
RUN TIME (3AAA ON HI)	6.6 hrs
FLUX LUMEN (LO)	39 lm
RUN TIME (3AAA ON LO)	21 hrs
POWER SOURCE	3AAA (not included)
PRODUCT DIMENSION	70 × 70 × 152 mm
WEIGHT	130.5 g
COLORS	Red, Yellow, Green, Purple or option

306

30 LUMEN KID'S HEADLAMP



SPECIFICATIONS

ITEM	306
FLUX LUMEN (HI)	30 lm
RUN TIME 2 CR2032 (HI)	4 hrs
POWER SOURCE	2 CR2032 (included)
PRODUCT DIMENSION	44.3 × 42 × 25.5 mm
WEIGHT	60 g
COLORS	Red, Yellow, Green, Purple or option

HEAD LAMP



3 x AAA



IPX4 rated




250 LM

- Press to turn on
- Spot high
- Flood
- Spot+Flood
- Hold for dimming

- Red
- Red-flash (double click)
- Green



• Adjustable angle



• Use 3AAA alkaline

HEAD LAMP

Dual Power 

3 x AAA & Li-ion


IPX4 rated


350 LM

- Press to turn on
 - Spot high
 - Flood
 - Spot+Flood
 - Hold for dimming
- Red
- Red-flash (double click)
- Green



•Type-c input



- USB-C port IN(5V,1.0A MAX)
- Compatible to 3AAA alkaline & Li-ion battery

307

HEAD LAMP 3AAA 250 LUMEN



SPECIFICATIONS

ITEM	307
FLUX LUMEN (SPOT HI)	250 lm
RUN TIME 3AAA (HI)	4.8 hrs
FLUX LUMEN (LO)	20 lm
RUN TIME 3AAA (LO)	45 hrs
POWER SOURCE	3AAA (not included)
PRODUCT DIMENSION	56 × 45 × 38 mm
WEIGHT	56 g (not included Battery)
COLORS	Earth grey

308

RECHARGEABLE 350 LUMEN HEAD LAMP



SPECIFICATIONS

ITEM	308
FLUX LUMEN (HI)	350 lm
RUN TIME LI-ION (HI)	3 hrs
RUN TIME 3AAA (HI)	4 hrs
FLUX LUMEN (LO)	35 lm
RUN TIME LI-ION (LO)	18.5 hrs
RUN TIME 3AAA (LO)	29 hrs
POWER SOURCE	3AAA(not included) or li-ion(included)
PRODUCT DIMENSION	56 × 45 × 38 mm
WEIGHT	56 g (not included Battery)
COLORS	Earth grey

BIKE LIGHT

Rechargeable 1000 Lumen



LI-ION



13 HOURS
max



1000 LUMEN



IPX4



1 METER

BICYCLE LAMP



- 5 modes
 - Hi-Mid -Low
 - Sprint
 - Slow flash
 - Quick flash



- Compatible Reflector
 - long range
 - Dual-task T-pattern Reflector
 - long range
 - short range



IPX4



1000 LM

- Type-C charging port
-5V,2.1A in



- Quick release base

BICYCLE LAMP



IPX4



1000 LM

• Stereo




• Snap-on Bracket

• Battery Indicator



• Bluetooth

• 6 modes dimming
Hi-Mid -Low
Super bright
Slow flash
Fast flash



• Type-c charging port
-5V,2.1A IN



Range selection
Lamp switch
Volume adjustment (hold press)
Song switching (single press)

• Dual-task T-pattern Reflector
-long range
-short range



530

Rechargeable Bicycle Light

73

**SPECIFICATIONS**

ITEM	530
FLUX LUMEN (HI)	1000 lm
RUN TIME (HI)	4 hrs
FLUX LUMEN (LO)	200 lm
RUN TIME (LO)	13 hrs
POWER SOURCE	Li-ion
PRODUCT DIMENSION	113 × 40 × 33.5 mm
WEIGHT	200 g
COLORS	Grey , Earth grey

531

Rechargeable Bicycle Light

74

**SPECIFICATIONS**

ITEM	531
FLUX LUMEN (HI)	1000 lm
RUN TIME (HI)	4 hrs
FLUX LUMEN (LO)	200 lm
RUN TIME (LO)	13 hrs
SPEAKER (BLUE TOOTH)	2×3 W
RUN TIME (SPEAKER ONLY)	8-10 hrs
POWER SOURCE	18650 Li-ion
PRODUCT DIMENSION	134 × 64 × 46 mm (Bracket not included)
WEIGHT	350 g
COLORS	Grey , Earth grey

BICYCLE TAIL LIGHT



CR2032



- Collimator lens provides soft & uniformed light pattern



IPX4



30 LM

- 4 modes dimming
Constant
Fast flash
Slow flash
Breathing flash



- Quick-mount rubber band

BICYCLE TAIL LIGHT



- Light Sensor
- Brake Sensor
- Vibration Sensor




- 3 modes dimming
 - Constant
 - Flash
 - Breath



IPX4



50 LM



- Quick-mount bracket & extra rubber band mounting rubber band



79

560

Bicycle Tail Light



SPECIFICATIONS

ITEM	560
RUN TIME(CONSTANT)	15 hrs
RUN TIME(FAST FLASH)	28 hrs
RUN TIME(SLOW FLASH)	40 hrs
RUN TIME(BREATHING FLASH)	26 hrs
POWER SOURCE	2 × CR2032
PRODUCT DIMENSION	45 × 42 × 26.3 mm
WEIGHT	40 g
COLORS	Black

80

566

Bicycle Tail Light



SPECIFICATIONS

ITEM	566
FLUX LUMEN	50 lm
RUN TIME(CONSTANT)	5 hrs
RUN TIME(FAST FLASH)	25 hrs
RUN TIME(SLOW FLASH)	40 hrs
RUN TIME(BREATHING FLASH)	18 hrs
POWER SOURCE	Li-ion (300mAH)
PRODUCT DIMENSION	41 × 55 × 26.3 mm
WEIGHT	45 g
COLORS	Black

RUNING LIGHT



IPX4



30 LM

• With 2 × CR2032 button-cell batteries



- Collimator lens provides soft & uniformed light pattern



- Clipped to clothes

KEY CHAIN LIGHT



- Multi-mode switch
 - Hi-Mid -Low
 - Quick flash
 - With SOS white strobe



Palm Size : 26 × 42 × 12.5mm



IPX4



100 LM

- Keychain ring
- Emergency whistle



- Type-c input



85

360

Runing Light 30 LUMEN



SPECIFICATIONS

ITEM	360
FLUX LUMEN(HI)	30 lm
RUN TIME(CONSTANT)	8 hrs
RUN TIME(RED CONSTANT)	9 hrs
RUN TIME(SLOW FLASH)	16 hrs
POWER SOURCE	2 × CR2032
PRODUCT DIMENSION	45 × 42 × 26.3 mm
WEIGHT	32 g
COLORS	White

86

KL-L001

Key chain light 100 LUMEN



SPECIFICATIONS

ITEM	KL-L001
FLUX LUMEN(HI)	100 lm
RUN TIME(HI)	30 min
FLUX LUMEN(LOW)	50 lm
RUN TIME(LOW)	1 hrs
POWER SOURCE	LI-ion 90 mAh
PRODUCT DIMENSION	26 × 42 × 12.5mm
WEIGHT	26.9 g
COLORS	Green & black
WATERPROOF	IPX4

SPOTLIGHT

Rechargeable 1800 Lumen



LI-ION



24 HOURS
max



1800 LUMEN



IPX7



450 METERS

SPOTLIGHT



Li-ion



IPX7



1800 LM



IPX7



1000 LM

- Sharp beam for long shot up to 450 meters



- Ergonomic pistol grip with wrist lanyard



- Dimmer switch allows for long run-time on low for up to 24 hours

- Unique trigger switch with momentary function



- Retractable stand for hands free operation

1808

RECHARGEABLE 1800 LUMEN
LONG-SHOT SPOTLIGHT



SPECIFICATIONS

ITEM	1808
FLUX LUMEN (HI)	1800 lm
RUN TIME (HI)	1.5 hrs
FLUX LUMEN (LO)	60 lm
RUN TIME (LO)	24 hrs
MAX BEAM DISTANCE	450 m
POWER SOURCE	Li-ion Battery
PRODUCT DIMENSION	181 × 98 × 185 mm
WEIGHT	850 g
COLORS	Yellow, Black

1808A

RECHARGEABLE 1000 LUMEN
LONG-SHOT SPOTLIGHT



SPECIFICATIONS

ITEM	1808A
FLUX LUMEN (HI)	1000 lm
RUN TIME (HI)	1.5 hrs
FLUX LUMEN (LO)	50 lm
RUN TIME (LO)	14.5 hrs
MAX BEAM DISTANCE	280 m
POWER SOURCE	Li-ion Battery
PRODUCT DIMENSION	181 × 98 × 185 mm
WEIGHT	800 g
COLORS	Yellow, Black

SPOTLIGHT



Li-ion



IPX4



1000 LM

• 1M-drop impact resistance



• Tight beam spot

• Retractable stand for hands free operation



• Press switch

• Robust pistol grip

SPOTLIGHT



• Rugged grip handle



IPX4



600 LM

• Built-in Li-ion rechargeable battery



• Adjustable stand with vary tilting angle

1839

RECHARGEABLE 1000 LUMEN SPOTLIGHT



SPECIFICATIONS

ITEM	1839
FLUX LUMEN (HI)	1000 lm
RUN TIME (HI)	1.5 hrs
POWER SOURCE	Li-ion Battery
PRODUCT DIMENSION	167 × 85 × 177 mm
WEIGHT	450 g
COLORS	Orange & black

3841

RECHARGEABLE 600 LUMEN SPOTLIGHT



SPECIFICATIONS

ITEM	3841
FLUX LUMEN (HI)	600 lm
RUN TIME (HI)	2 hrs
FLUX LUMEN (LO)	200 lm
RUN TIME (LO)	6 hrs
POWER SOURCE	Li-ion Battery
PRODUCT DIMENSION	181 × 98 × 185 mm
WEIGHT	650 g
COLORS	Green, Black

3-IN-1 TRIPOD LANTERN

Rechargeable 800 Lumen



LI-ION



45 HOURS
max



800 LUMEN



IPX4



1 METER

3-IN-1 TRIPOD LANTERN



• Retractable hanging hook

• 360° spread light



• Collapsible tripod re-assembled by magnet



IPX4



800 LM

• 1M-drop impact resistance

• Comfort grip handle



• With search light on top

3-IN-1 TRIPOD LANTERN

Rechargeable 800 Lumen



SPECIFICATIONS

ITEM	3007
FLUX LUMEN (HI)	800 lm
RUN TIME (HI)	3.5 hrs
FLUX LUMEN (LO)	400 lm
RUN TIME (LO)	7 hrs
FLUX LUMEN OF SEARCH LIGHT	130 lm
RUN TIME (SEARCH LIGHT)	15 hrs
POWER SOURCE	Li-ion Battery
PRODUCT DIMENSION	325 × 90 × 90 mm
WEIGHT	710 g
COLORS	Dark Grey & Green


SILICONE UTILITY LIGHT



• Dimmer switch allows for long run-time on low for up to 6 hrs

• 360 lantern

- Silica gel material
- Anti-slip
- Dustproof, static- proof & washable



• Foldable handle

• 1M-drop impact resistance



• Magnetic bottom



IPX4



300 LM

- Hi-Mid-Lo @area light
- Hi-Mid-Lo @flashlight
- 2 modes of red light & strobe

310

RECHARGEABLE 300 LUMEN HANDHELD
UTILITY LIGHT



SPECIFICATIONS

ITEM	310
FLUX LUMEN (HI)	300 lm
RUN TIME (HI)	3 hrs
FLUX LUMEN (LO)	150 lm
RUN TIME (LO)	6 hrs
FLUX LUMEN (LO)	80 lm
RUN TIME (LO)	10 hrs
MODES	Hi-Mid-Lo @area light, Hi-Mid-Lo @flashlight
POWER SOURCE	Li-ion Battery
PRODUCT DIMENSION	43 × 43 × 140 mm
WEIGHT	300 g
COLORS	Cream Gel

311

RECHARGEABLE 300 LUMEN WITH RED STROBE



SPECIFICATIONS

ITEM	311
FLUX LUMEN (HI)	300 lm
RUN TIME (HI)	3 hrs
FLUX LUMEN (LO)	150 lm
RUN TIME (LO)	6 hrs
FLUX LUMEN (LO)	80 lm
RUN TIME (LO)	10 hrs
RUN TIME (RED STROBE)	92 hrs
MODES	Hi-Mid-Lo @area light, Hi-Mid-Lo @flashlight, 2 modes of red light
POWER SOURCE	Li-ion Battery
PRODUCT DIMENSION	43 × 43 × 140 mm
WEIGHT	300 g
COLORS	Cream Gel

5-IN-1 HANDHELD WORK LIGHT



• Type-C charging port

• Strip COB provides 300 lumen flood light



• Charging indicator

• Foldable 170° hanging Hook
• Swivelable



• Compact design with pivotable base



IPX4



300 LM

• Rotatable light head
• Flood - to -focus adjustable



• Magnet

• Robust metal clip






5-IN-1 HANDHELD WORK LIGHT



SPECIFICATIONS

ITEM	8420
FLUX LUMEN OF COB(HI)	300 lm
RUN TIME(HI)	4 hrs
FLUX LUMEN OF COB(LO)	20 lm
RUN TIME(LO)	50 hrs
FLUX LUMEN OF SEARCH LIGHT(HI)	200 lm
RUN TIME(HI)	5 hrs
FLUX LUMEN OF SEARCH LIGHT(LO)	15 lm
RUN TIME(LO)	50 hrs
POWER SOURCE	Li-ion Battery2600 mAh
PRODUCT DIMENSION	155 × 42 × 27 mm
WEIGHT	135 g
COLORS	Orange & black
WATERPROOF	IPX4

PORTABLE FAN



IPX4



50 LM



Optional

WB-F001

Multifunctional ceiling fan



SPECIFICATIONS

ITEM	WB-F001
POWER SOURCE	Li-ion Battery
RATED INPUT	5V-1.6A
BATTERY CAPACITY	7200 MAH
RUN TIME @ GEAR 1 (with or without light)	10~18 hrs
RUN TIME @ GEAR 2 (with or without light)	6~10 hrs
RUN TIME @ GEAR 3 (with or without light)	4~6 hrs
RUN TIME @ SLEEP-MODE (with or without light)	7~14 hrs
LED LIGHT FLUX	15~52 lm
PRODUCT DIMENSION	173 × 136 × 90 mm
WEIGHT	375 g
COLORS	Blue, White
REMOTE CONTROL	Optional

WB-F002

Multifunctional ceiling fan



SPECIFICATIONS

ITEM	WB-F002
POWER SOURCE	Li-ion Battery
RATED INPUT	5V-1.6A
BATTERY CAPACITY	3600 MAH
RUN TIME @ GEAR 1 (with or without light)	5~9 hrs
RUN TIME @ GEAR 2 (with or without light)	3~5 hrs
RUN TIME @ GEAR 3 (with or without light)	2~3 hrs
RUN TIME @ SLEEP-MODE (with or without light)	3.5~7 hrs
LED LIGHT FLUX	6~22 lm
PRODUCT DIMENSION	173 × 136 × 90 mm
WEIGHT	285 g
COLORS	Blue, White
REMOTE CONTROL	Optional

PORTABLE FAN



•Type-c input



IPX4



50 LM

•Infrared receiver for remote


•Hanging strip



•LED Light

•Night light buttons
•Fan button

• Compact design with foldable fan blade



•For tripod stand



BBQ STOVE LIGHT




4 x AAA



IPX4



330 LM



TW-F010

Multifunctional ceiling fan



SPECIFICATIONS

ITEM	TW-F010
POWER SOURCE	Li-ion Battery
RATED INPUT	5V-1.6A
BATTERY CAPACITY	7200 MAH
RUN TIME @ GEAR 1 (with or without light)	10~18 hrs
RUN TIME @ GEAR 2 (with or without light)	6~10 hrs
RUN TIME @ GEAR 3 (with or without light)	4~6 hrs
RUN TIME @ SLEEP-MODE (with or without light)	7~14 hrs
LED LIGHT FLUX	15~52 lm
PRODUCT DIMENSION	130 × 86 × 90 mm
WEIGHT	355 g
COLORS	Blue, White
REMOTE CONTROL	Earth grey

8406

BBQ STOVE LIGHT 4AAA 330 LUMEN



SPECIFICATIONS

ITEM	8406
FLUX LUMEN (HI)	330 lm
RUN TIME (HI)	4.5 hrs
FLUX LUMEN (LO)	140 lm
RUN TIME (LO)	40 hrs
POWER SOURCE	4xAAA (not included)
PRODUCT DIMENSION	249 × 240 × 64.5 mm
WEIGHT	240 g (not included Battery)
COLORS	Dark Grey with accent