



FANGDA DOOR



FANGDA DOOR


Steel Door

Steel Doors / Entry Systems
Pre-Finished Doors / Pre-Hung Doors / Door Jambs



Steel Entry Door Systems

Pre-Finished Doors / Pre-Hung Doors / KD Frames



Add: 001 Tongjiang West Ave., Chihu Industrial Park, jiujiang, Jiangxi Prov., China

Postal Code: 332100

Website: www.fangdadoors.com

Tel: 86 15067462458

E-mail: fangdadoor@fangdadoors.com



ID: Fangda Door
Available on all platforms

Version F.24.01

Over 23 Years of Production Experience
Thoughtful Customer Services
Factory Pricing



Company Introduction



Jiangxi Fangda Tech Co., Ltd. is a specialized manufacturer of steel and fiberglass doors with a wealth of experience since 2002. Our annual sales have achieved significant growth year after year. We cater to various global markets, including North, Middle, and South America, the Middle East, West Africa, Australia, Europe, and other regions.

Fangda's steel and fiberglass doors are designed for both residential and commercial purposes and find extensive use in homes, apartments, hospitals, offices, schools, and hotels.

Fangda's strengths lie in offering competitive prices, superior services, stable product quality, and ensuring on-time delivery. We also provide both OEM and ODM services to meet diverse customer needs.

Satisfying customer needs is always our core goal.



Our company has a professional technical team with mature experience, and has been focusing on the research and development of various doors since 2002.

The company's technical team is dedicated to learning and innovating, harvesting a large number of patents.

The company's R&D is closely integrated with production and promote each other. Sample center is under developing jointly with our customers to promote the development of products and exchange learning research.

A Complete Door System

A complete door system includes the components used to assemble to the beautiful doors and glass.

Jams with Weatherstrip




Primed white.
Finger joint wood material and PVC material are both available.
Optional 4-9/16" and 6-9/16" sizes.
Optional white color weatherstrip.

Brick Mould



Finger joint wood material or PVC material.

Mulls



Mull Post, kerfed for weatherstrip on both edges;
Finger joint wood material and PVC material are both available.
Apply for one or two sidelites.

Astragal




Finger joint wood material or PVC material,
kerfed for rubber seal;
Apply for double doors.

Note: Colors may vary from an actual application due to fluctuations in the printing process of this catalog.




15 YEAR

Limited Warranty



Bottom Sweep

PVC bottom door sweep,
dark brown color.



Composite Sills

Aluminum alloy sill
composite substrate.
Size: 1. 4 9/16"
2. 5 5/8" 3. 6 9/16"

Iron Hinges



Stainless Steel Hinges



Steel Entry Door

Featuring 24-26 gauge steel sheet smooth surface and high-definition embossed panels, Fangda Door provides you a rich and beautiful look on durable steel entry door system.

Optional steel edge construction adds greater strength & durability.

Factory pre-painted steel facings ensure a consistent and lasting finish every time.



Engineered Wood Lock Reinforcement

Engineered Construction


High Density Polyurethane Foam Insulation (or Optional One Piece Polystyrene Foam)



Finger-Jointed Wood Hinge Stile and Lock Stile

Hot Dipped Galvanized Steel Skin

6 Panel Exploded View



Header (PVC/Finger Jointed Wood)

Galvanized Steel Skin

Jamb/Legs (PVC/Finger Jointed Wood)

Lock Block

Door Sweep

Threshold/Sill

Hinge Stile

Galvanized Steel Skin

Hinge

Jamb/Legs (PVC/Finger Jointed Wood)

Polyurethane Foam Core, (or One Piece Polystyrene Foam Option)

Features & Benefits

- 24-26 gauged steel skin, **pre-finished white paint**
- Environmentally friendly polyurethane foam core offering double the R-value of polystyrene core
- Optional one piece polystyrene core at an economical price
- Rot-resistant top and bottom rails
- Solid wood lock block for reinforcement
- Ten-year limited warranty on door systems and 15-year limited warranty on finishing

Pre-painted door skin lasting for 15-year Finish Warranty.



Pre-painted steel skins maintain the bright white finish painted look. Each Fangda door is factory finished, it does not need additional painting.

Pre-finished 24-26 gauged hot-dipped galvanized **pre-painted** steel sheet is coated of high-durability polyester(HDP), which provides higher anti-corrosion property and longer lifespan than that of galvanized steel sheets.


The finish coat of HDP has excellent retention of color, resistance of ultra-violet radiation, strong outdoors durability, chalking resistance, strong adhesion to the base metal.

The coating layer of HDP has excellent resistance to shedding and chalking within such 15 years.

Door Skin Sectional Structure

15 YEAR

Finish Warranty





Europe Security door

FDS

series

Specification:

1. Steel Thickness: Door/Frame: 0.8mm/1.2mm
2. Lock: Main and Upper Lock
3. Hinge: Visible Hinge
4. Doorsill: Aluminum
5. Size: 2050×860/960×55mm
6. Note: It can be customized



Delivering maximum security doors with custom high end residential finishes.



Halfmoon Twin



3P Angle



10P Arch



Arch Sideview

French Door



Specification:

1. Size: 2050×860/960×45mm
2. Material: Steel Sheet+ PU+ Pine Wood
3. Material of Frame: PVC+LVL
4. Hardware: Hinges+ Lock System




Israel Interior Door



3 V-Lines



Hinge



Lock Hole Side Frame



Frame



Sills

Specification:

- Steel Thickness
 Door/Frame: 0.5/1.2mm
 Door Size: 860/960×2050×45mm



3 Lines



AL 4 Lines



Israel Security Doors



Specification:


Door/Frame: 1.2mm/1.5mm galvanized steel
 Core Structure: Vertical and horizontal steel bars filled with polystyrene foam, cardboard honey-comb or rock wool
 Lock System: 4-way door lock system
 Door Finish: Laminated PVC film or optional powder coating
 Door Size: 820/880/980/1060/1200/1500/1800×2100mm/2400×50mm Customized are available




Shootbolt Version



Bottom




Tongue Version



Lock Body



Locking System Multi Point



Hinges

Note: Colors may vary from an actual application due to fluctuations in the printing process of this catalog.

American Steel Door



6 Panel

3 Panel Oval

Universal Knock Down Frame

Standard Size:
 2,000×750×40/45mm
 2,000×840×40/45mm
 2,000×1,200×40/45mm (M&S)
 2,000×1,500×40/45mm (Double)



Hinge



Door Skin



Note: Colors may vary from an actual application due to fluctuations in the printing process of this catalog.

Asian Steel Door

Universal Knock Down Frame

Standard Size:
2,000x740x40mm
2,000x840x40mm
2,000x1140x40mm(M&S)



FDS
series

FDS-36



FDS-37

FDS-38

FDS-39

FDS-40

FDS-41

Note: Colors may vary from an actual application due to fluctuations in the printing process of this catalog.

Fixed Grills

Fixed grills are molded as part of the lite frame on the interior and exterior panes of tempered glass.



4P, FDS-02
Fan Lite

2P, Craftsman
FDS-10, 6 Lite


2P Half, FDS-01
9 Lite

Full, FDS-06
15 Lite

Blinds Between Insulate

Internal blinds provide the privacy and convenience of a cordless blind enclosed between glass. A single-hand operate opens, closes, and tilts the blinds to control the desired level of privacy and light.

One easily accessible control allows the blinds to be easily adjusted for the amount of light and privacy.



FDS-02 with Internal Miniblinds, 22x36



2P, 1/2 Lite
FDS-02, 22x36

1P, 1/2 Lite
FDS-09, 22x36

Flush Half Lite
FDS-06, 22x36



2P, 3/4 Lite
FDS-08, 22x48

Full Lite
FDS-06, 22x64


1P Plank, 1/2 Lite
FDS-24, 22x36

Note: Colors may vary from an actual application due to fluctuations in the printing process of this catalog.

High-Definition Steel Doors



Decorative Steel Doors




FDS-06 22×64
Hestia, Kasumi
Wrought Iron

FDS-08 22×48
Jupiter, kasumi
Wrought Iron

FDS-08 SM Oval
Romeo & Juliet
Brass

FDS-02 22×36
Babara, Patina


FDS-05 SM Oval
War & Peace, Zinc



FDS-04 8×48RT
FDG-G, Patina



FDS-09 22×36
Red & Black, Zinc



FDS-24 22×36
Pride & Prejudice
Brass




FDS-02 22×36RT
Clear Bevel, Zinc



FDS-10 22×15
FDG-J, Zinc



Paseidon



Ulysses



FDG-G



Iron Grill

Paseidon: iron
Kasumi, black


Ulysses: iron
Chinchilla, black



Brass



Zinc



Patina



FDS-02, 22×36
Romeo and Juliet
Patina

Note: Colors may vary from an actual application due to fluctuations in the printing process of this catalog.

Note: Colors may vary from an actual application due to fluctuations in the printing process of this catalog.

Decorative Steel Doors



FDS-06, 22x15
Waterglass IG




FDS-06, 7x64
Twin
Acid Etch IG




FDS-02, 8x63
Twin
Clear Bevel IG, Zinc



FDS-01, 8x6
Twin
Clear Bevel IG



FDS-02, 22x10SB
FDG-E, Zinc



FDS-06, Oval
Babara, Brass



FDS-02, 22x10CT
FDG-C, Patina



FDS-06 with Waterglass IG




FDS-08 with War and Peace Glass




FDS-08 with FDG-G Glass

Note: Colors may vary from an actual application due to fluctuations in the printing process of this catalog.


Contemporary Door Styles



4 Square, Lite
Center, Water
8x6 Glass



4 Square, Lite
Left, Water
8x6 Glass



4 Square, Lite
Right, Water
8x6 Glass




3 Square, Lite
Left, Granite
8x6 Glass




3 Square, Lite
Center, Granite
8x6 Glass




5 Square, Lite
Center, Oceanic
8x6 Glass



5 Square, Lite
Left, Oceanic
8x6 Glass




5 Square, Lite
Right, Oceanic
8x6 Glass



3 Square, Lite
Right, Granite
8x6 Glass



1 V, Lite
Right, Mistlite
7x64 Glass



3 S-Lite, Top
Right, Chinchilla
8x6 Glass



3 S-Lite, Top
Left, Chinchilla
8x6 Glass



3 S-Lite, Top
Center, Chinchilla
8x6 Glass



1 V, Lite
Left, Mistlite
7x64 Glass




1 V, Lite
Center, Mistlite
7x64 Glass

Knock-Down Frames Specifications


Standard KD frames are mortised, reinforced, drilled and tapped for templated mortise hardware.

Jamb and head to be assembled with tongue and slot connection.

All frames are painted with pre-finished primer.



Choose the Configuration



Color Choices




Note: Colors may vary from an actual application due to fluctuations in the printing process of this catalog.

Door Handing Chart

Single Doors



Pairs of Doors



New Arrival

41"×95"×1-3/4"



Hinge



Frame



Lock



Sills













New Mouldings
are under
developing

Panel Doors and Glass Sizes

	6P							
	FDS-01				FDS-01-N			
6'8"	2'8",2'10",3'0"	2'8",2'10",3'0"	2'8",2'10",3'0"	2'8",2'10",3'0"	2'8",2'10",3'0"	2'6",2'8"	2'6",2'8"	2'6",2'8"
7'0"	2'8",2'10",3'0"	2'8",2'10",3'0"	2'8",2'10",3'0"	2'8",2'10",3'0"	2'8",2'10",3'0"	2'6",2'8"	2'6",2'8"	2'6",2'8"
Glass Sizes		8×6	22×36	8×36	22×36,9 lite		20×36	20×36,9 lite
	4P Blank Top							
	FDS-02				FDS-02-N			
6'8"	2'8",2'10",3'0"	2'8",2'10",3'0"	2'8",2'10",3'0"	2'8",2'10",3'0"	2'8",2'10",3'0"	2'8",2'10",3'0"	2'8",2'10",3'0"	2'6",2'8"
7'0"	2'8",2'10",3'0"	2'8",2'10",3'0"	2'8",2'10",3'0"	2'8",2'10",3'0"	2'8",2'10",3'0"	2'8",2'10",3'0"	2'8",2'10",3'0"	2'6",2'8"
Glass Sizes		22×10SB	22×10CT		22×36RT		22×10SB half moon sumburst 5 lite	
		4P	8P Bullet			3P Scroll	3P Scroll Oval	
	FDS-02-N	FDS-03	FDS-04		FDS-05			
6'8"	2'6",2'8"	2'6",2'8"	2'8",2'10",3'0"	2'8",2'10",3'0"	2'8",2'10",3'0"	2'8",2'10",3'0"	2'8",2'10",3'0"	2'8",2'10",3'0"
7'0"	2'6",2'8"	2'6",2'8"	2'8",2'10",3'0"	2'8",2'10",3'0"	2'8",2'10",3'0"	2'8",2'10",3'0"	2'8",2'10",3'0"	2'8",2'10",3'0"
Glass Sizes	22×10SB half moon sumburst 5 lite	22×10SB			8×42RT		SM Oval	XS SM oval
	Flush							3P Arch Top
	FDS-06				FDS-08			
6'8"	2'0",2'4",2'6", 2'8",2'10",3'0"	2'8",2'10",3'0"	2'8",2'10",3'0"	2'6",2'8"	2'8",2'10",3'0"	2'8",2'10",3'0"	2'6",2'8", 2'10",3'0"	2'8",2'10",3'0"
7'0"	2'0",2'4",2'6", 2'8",2'10",3'0"	2'8",2'10",3'0"	2'8",2'10",3'0"	2'6",2'8"	2'8",2'10",3'0"	2'8",2'10",3'0"	2'6",2'8", 2'10",3'0"	2'8",2'10",3'0"
Glass Sizes		22×64	22×64,15 lite	20×64	22×14.5	7×64	Oral	

























Note: Colors may vary from an actual application due to fluctuations in the printing process of this catalog.

Panel Doors and Glass Sizes

							
	FDS-08			FDS-09		FDS-09-N	FDS-10
6'8"	2'8",2'10",3'0"	2'8",2'10",3'0"	2'8",2'10",3'0"	2'8",2'10",3'0"	2'8",2'10",3'0"	2'8",2'10",3'0"	2'4",2'6",2'8"
7'0"	2'8",2'10",3'0"	2'8",2'10",3'0"	2'8",2'10",3'0"	2'8",2'10",3'0"	2'8",2'10",3'0"	2'8",2'10",3'0"	2'4",2'6",2'8"
Glass Sizes	22x48	SM Oral	XS SM Oral		22x36	22x36,9 lite	
							
	FDS-10		FDS-11		FDS-12	FDS-13	FDS-14
6'8"	2'8",2'10",3'0"	2'8",2'10",3'0"	2'8",2'10",3'0"	2'8",2'10",3'0"	2'6",2'8",2'10",3'0"	2'6",2'8",2'10",3'0"	2'8",2'10",3'0"
7'0"	2'8",2'10",3'0"	2'8",2'10",3'0"	2'8",2'10",3'0"	2'8",2'10",3'0"	2'6",2'8",2'10",3'0"	2'6",2'8",2'10",3'0"	2'8",2'10",3'0"
Glass Sizes	22x15-1/4	22x15,6lite		7x18			
							
	6P Horizontal	2P Cross	3 Groove Vertical	3 Groove	2P Plank CT	2P Camber Top	
6'8"	2'6",2'8",2'10",3'0"	2'6",2'8",2'10",3'0"	2'4",2'6",2'8",2'10",3'0"	2'4",2'6",2'8",2'10",3'0"	2'8",2'10",3'0"	2'8",2'10",3'0"	2'8",2'10",3'0"
7'0"	2'6",2'8",2'10",3'0"	2'6",2'8",2'10",3'0"	2'4",2'6",2'8",2'10",3'0"	2'4",2'6",2'8",2'10",3'0"	2'8",2'10",3'0"	2'8",2'10",3'0"	2'8",2'10",3'0"
Glass Sizes							22x36
							
		4 Groove		10P Camber Top	3P Triangle	3P Scroll Oval	
6'8"	2'8",2'10",3'0"	2'6",2'8",2'10",3'0"	2'4",2'6",2'8"	2'8",2'10",3'0"	2'8",2'10",3'0"	2'8",2'10",3'0"	2'4",2'6",2'8",2'10",3'0"
7'0"	2'8",2'10",3'0"	2'6",2'8",2'10",3'0"	2'4",2'6",2'8"	2'8",2'10",3'0"	2'8",2'10",3'0"	2'8",2'10",3'0"	2'4",2'6",2'8",2'10",3'0"
Glass Sizes	22x36, 9lite						

Note: Colors may vary from an actual application due to fluctuations in the printing process of this catalog.

Panel Doors and Glass Sizes

								
	Half Moon Side	2 Groove	4 Groove	2 Groove	3 Groove Vertical	2P Square Top	3P Square Top	
6'8"	2'8",2'10",3'0"	2'4",2'6",2'8",2'10",3'0"	2'6",2'8",2'10",3'0"	2'6",2'8",2'10",3'0"	2'4",2'6",2'8",2'10",3'0"	2'8",2'10",3'0"	2'6",2'8",2'10",3'0"	2'8",2'10",3'0"
7'0"	2'8",2'10",3'0"	2'4",2'6",2'8",2'10",3'0"	2'6",2'8",2'10",3'0"	2'6",2'8",2'10",3'0"	2'4",2'6",2'8",2'10",3'0"	2'8",2'10",3'0"	2'6",2'8",2'10",3'0"	2'8",2'10",3'0"
Glass Sizes	Half Moon							
								
	FDS-37	FDS-38	FDS-39	FDS-40	FDS-41	FDS-42	FDS-48	
6'8"	2'6",2'8",2'10",3'0"	2'6",2'8",2'10",3'0"	2'6",2'8",2'10",3'0"	2'6",2'8",2'10",3'0"	2'6",2'8",2'10",3'0"	2'8",2'10",3'0"	2'8",2'10",3'0"	
7'0"	2'6",2'8",2'10",3'0"	2'6",2'8",2'10",3'0"	2'6",2'8",2'10",3'0"	2'6",2'8",2'10",3'0"	2'6",2'8",2'10",3'0"	2'8",2'10",3'0"	2'8",2'10",3'0"	
Glass Sizes								
								
	Sidelite	Sidelite	Sidelite	Sidelite	Sidelite	Sidelite		
6'8"	1'0",1'2"	1'0",1'2"	1'0",1'2"	1'0",1'2"	1'0",1'2"	1'0",1'2"		
7'0"	1'0",1'2"	1'0",1'2"	1'0",1'2"	1'0",1'2"	1'0",1'2"	1'0",1'2"		
Glass Sizes		8x6	7x64		8x36	8x48		
								
	FDS-34-8		Flush					
8'0"	2'8",2'10",3'0"	2'8",2'10",3'0"	2'4",2'6",2'8",2'10",3'0"					
Glass Sizes		22x64						

Note: Colors may vary from an actual application due to fluctuations in the printing process of this catalog.