



ATTENDANCE ACCESS SYSTEM MANUAL

Table of Contents

Chapter 1 Software Setup.....	4
Chapter 2 Operation Flow.....	7
2.1 Modules.....	7
2.2 Software Setup Flow.....	8
2.2 Software Initial Setup.....	8
2.3.1 Set up Administrator.....	8
2.3.2 Create personnel files.....	8
2.3.3 Pulling fingerprint records and Registering staff name to terminal	9
2.3.4 Shift Definition.....	10
2.3.5 Shift Pattern.....	10
2.3.6 Device Management.....	12
2.3.7 Data Analysis.....	12
2.3.8 View Reports.....	13
Chapter 3 HR System.....	13
3.1 Company.....	13
3.2 Department.....	14
3.3 Staff Information.....	15
3.3.1 Add Staff Information.....	15
3.3.2 Modify Staff Information.....	16
3.3.3 Delete Staff Information.....	17
3.3.4 Print Staff Information.....	18
3.4 Parameter Settings.....	19
Chapter 4. Attendance System.....	20
4.1 Default Shift.....	20
4.2 Shift Definition.....	20
4.3 Shift Pattern.....	28
4.4 Shift Allotment.....	30
4.5 Total Schedule.....	32
4.6 Holiday Registration.....	33
4.7 Leave Registration.....	34


4.8 Manual Punch.....	35
4.9 Overtime Rules.....	36
4.10 Device Management.....	37
4.10.1 Add Device.....	38
4.10.2 Modify Device.....	40
4.10.3 Check Status.....	40
4.10.4 Get Information.....	40
4.10.5 Set Time.....	40
4.10.6 Device Management.....	40
4.10.7 Data Import/Export Using USB Flash Drive.....	43
4.10.8 Download Record.....	44
4.10.9 Initialize Device.....	45
4.10.10 Clear All Tips.....	45
4.10.11 Clear Admin.....	45
4.10.12 Manual Open.....	45
4.10.13 Set Access Parameters.....	46
4.11 Data Analysis.....	46
4.11.1 Original Record.....	46
4.11.2 Detailed Report.....	46
4.11.3 Daily Report.....	47
4.11.4 Monthly Report.....	47
Chapter 5 Access System.....	48
5.1 Access System	48
5.1.1 Time Zone.....	48
5.1.1.1 Add/Modify/Delete Day Time Zone.....	49
5.1.1.2 Add/Modify/Delete Week Time Zone.....	50
5.1.2 Unlock Group.....	51
5.1.3 User Time Zone.....	51
5.1.4 Device Mngement.....	53
5.1.5 Realtime Monitoring.....	54
5.1.6 User Time Zone Report.....	55
5.1.7 Access Detailed Report.....	55
5.1.8 Button Event.....	56

5.1.9 Alarm Event.....	56
Chapter 6. System Management.....	56
6.1 Change Password.....	57
6.2 User Management.....	58
6.3 System Initialization.....	60
6.4 Duplicated original data processing.....	60
6.5 Compact Database.....	60
6.6 Backup Database.....	60
6.7 Restore Database.....	61
6.8 Clear Data.....	62


Chapter 1 Software Setup

1.AAS installation


1. Click on the .exe installation file to begin



2. Click "Next" to continue, "Cancel" to exit setup.



3. The default setup directory is C:\AttendanceF, you may change to another directory by clicking "Change". Click "Next" to continue.




4. Click "Finish" to complete the installation, and create shortcuts on Desktop and startup menu.

Open the program by clicking the desktop shortcut




This brings up the Login Prompt.



For first time login, User name field is admin, password is empty.

Then enter the main page, select Navigation to show operation guide.

Otherwise, it is blank.



Chapter 2 Operation Flow

For fingerprint terminals, you should first register users and fingerprint on the device. During registration, keep note of the user ID and the corresponding employee's name to fill out the rest on the software.

For card reader only models, the proximity card's number can be manually entered within the software (or download from terminals after registration)

2.1 Modules

Our software comes with 4 modules: **【HR System】**, **【Attendance System】**, **【Access System】**, **【System Management】**

1、**【HR System】** Here you may find company information, department, and view/edit staff information


2、**【Attendance System】** Manage the shift, define shift patterns, holidays and assign shifts to the registered staffs. Here, you may generate reports monthly, daily reports that could be printed/exported.

3、**【Access System】** Access System includes time zone, lock combination, rights allotment, device management, real-time

monitoring, rights report, access details, button event report and alarm event report.

4、【System Management】 Change password、 User Management、 System Initialization、 Duplicated original date processing、 Compact Database、 Backup Database、 Restore Database、 Clear System

2.2 Software Setup Flow



2.2 Software Initial Setup

For fingerprint terminals, you should first register users and fingerprint on the device. During registration, keep note of the user ID and the corresponding employee's name to fill out the rest on the software.

2.3.1 Set up Administrator

It is highly recommended that you begin with changing the password (For first login, administrator password is admin, password field is empty), If the intended use involves multiple users, we recommend creating accounts for each of the users and customize their respective permission within the system.

2.3.2 Create personnel files

A. Set the company information, note that the company name is the head office of the whole system;

B. Department information : the department is classification of employees. If there are multiple work schedules within a department,

it may be helpful to create sub-departments.

C. Staff information: Here you will find general personnel information here. The required fields are Staff No, Staff Name, Register No. (Fingerprint Register No.), Join Date, and Department.

Important Notice:

【Registration No.】 within the **【Staff Information】** menu must match the ones on the fingerprint attendance terminal.

【Staff No.】 field must contain only numerical characters to function correctly.

【Join Date】: The attendance will only keep track of staff starting on the Join Date.

2.3.3 Pulling fingerprint records and Registering staff name to terminal

For the fingerprint terminal, every user must consist of a UserID its corresponding fingerprint template.

The stored fingerprint templates can be pulled from “Device Management” on our Desktop Software. This will create a copy of the database for backup purposes as well as enabling mass deployment of the user list to multiple terminals within the vicinity.

Connect to the terminal through **【Device management】**:

A. You may view device information of the terminal such as number of users, remaining fingerprint capacity, and also set certain parameters. B. Download fingerprint information from the terminal to the software:

C. Upload Staff Name to the fingerprint terminal. (Prerequisite of existing fingerprint records and Staff Names on the AAS)

Important Notice:

For select models that connects to the computers via RS232, the

baud rates of the software AND the terminal must be adjusted to match for proper operations. The default baud rate is 38400 bps for most models and can be changed in the "RS232/RS485 download" sub-menu on the terminal.

Important Notice:

If you wish to download through USB cable, you may have to install the driver which can be found on the CD within the "driver" folder. Once you have located the file, double click it to run.

Important Notice:

For download through TCP/IP, the IP address of the terminal and software must match.

*** Any of the above communications can function properly only if the parameters on device and software match**

2.3.4 Shift Definition

For the software, "Shift" refers to the set of rules for time intervals during which the staff is expected to be present. You may set the arrival time, departure time, late in, early out, definition of absence, definition of overtime, and so on.

Consolidate all the possible work shifts for a day, then create your shifts such as day shift, nightshift, long day shift, etc.

2.3.5 Shift Pattern

This section allows you group a pattern of work shifts (using the shifts defines in "Shift Definition" over a certain amount of period whether it is by day(s), week(s), or month.

Fields set within Shift Pattern, and Shift Definition is the basis of the

data analysis function.**A. Shift Rules:**

Select the proper Period Type according to the pattern's cycle. For example, one of the most common shift pattern is the weekly Monday to Friday work week (see figure below). And for another instance, joe an external contractor who was hired to perform installations on a new worksite for 3 days, the "Daily" period type might be helpful with the Schedule Period set as 3.

No.	Name	Period Type	Remark
1	Normal Group	weekly	

Schedule Period	
1	weekly
Week	Shift
Monday	Normal
Tuesday	Normal
Wednesd	Normal
Thursday	Normal
Friday	Normal
Saturday	Rest
Sunday	Rest

B. Shift Allotment:

Shift Allotment is where you would officially assign a shift pattern to a staff. Be sure to assign the starting and ending date.

C. Total Schedule

If everything is set up correctly, you may do a final check of staff's assigned schedule in a monthly view.

Month of Sch: 2017-07	Month: 2017-7	Staff No.: 00000001	Name: 1			
Company						
Shift Schedule						
Sun	Moi	Tue	We	Thu	Frid	Sat
						Rest
2	3	4	5	6	7	8
Rest	Normal	Normal	Normal	Normal	Normal	Rest
9	10	11	12	13	14	15
Rest	Normal	Normal	Normal	Normal	Normal	Rest
16	17	18	19	20	21	22
Rest	Normal	Normal	Normal	Normal	Normal	Rest
23	24	25	26	27	28	29
Rest	Normal	Normal	Normal	Normal	Normal	Rest
30	31					
Rest	Normal					

Staff No	Name
00000001	1

2.3.6 Device Management

After downloading the fingerprint templates from the terminal into AAS and uploading the staff names to the terminals, employees may begin to clock in. The AAS administrator is responsible for downloading the data from the terminal to the AAS, then perform the built-in data analysis.


To download logs into the AAS, go to "Device management". Look for the option button in the bottom right corner to select between "All Record" or "New Record", then click on the "Download Record".

The "New Record" option downloads only new records since last download. "All Record" option will download all records on the terminal and may create duplicate logs.

2.3.7 Data Analysis

The process flow of the attendance is to collect time logs of staff's time in and time out compared against the shifts assigned through the software.

Below is the logic flow chart of the attendance system



2.3.8 View Reports

After data analysis, you may view reports.

Chapter 3 HR System

3.1 Company

Click **【Company】** to edit the fields (see figure below):

Begin by clicking **Modify**, Enter the company name (Mandatory field, you may use abbreviations), address, phone number, etc. Click **Save** to finish.

3.2 Department

Click **Department**, then **Add** or **Modify**.

No.	Dept No.	Dept Name	Superior Dept	Manager
1	00000001	Company		
2	00000002	Sales	Company	

Company is the superior department of the main (first tier) departments within the organization structure. Furthermore, new departments can be created as a sub-departments by choosing the proper Superior Department in the dropdown menu.

There is no limit on the tiers within the organization structure. However for simplicity and convenience, we recommend no more than 4 tiers of sub-departments .

Steps

1) Add Department

Click the **【Add】** button, and enter department number, department name, superior department, and the manager. Click **【Save】** to finish.

Note: Superior Dept. is a mandatory field. With the exception of the headquarters, every departments and sub-departments must have a superior department.

2) Modify Department

Click the **【Modify】** button to edit the fields, then click **【Save】** to finish.

3) Delete Department

Click **【Delete】** to remove a previously registered department. However if an employee is assigned to a department, it cannot be removed

4) Print

Click **【Print】** to print out a list of the departments.

5) Exit

Click the **【Exit】** button to return to the HR System main menu.

3.3 Staff Information


Click **【Staff Information】** to begin editing staff information.

Staff Code	User ID	Name	Department	Position	Card No	Password	Join Date	Gender	Mark
00000001	0000000001	1	Company				12/05/2018	Male	Un

This module is responsible for keeping your staff's information on file.

3.3.1 Add Staff Information

Click the **【Add】** button to bring out the editing window.



To ensure proper operation, the Staff Code, User ID, Name, Dept, and Join Date fields must be filled in. Click **【Save】** to finish.

【Staff Code】: This is the number assigned to a staff within the AAS, not the attendance terminal.

Note: All data on the AAS are indexed by this number, altering the staff number afterwards will disassociate the collected data from the intended staff if not handled properly.

【User ID】: The User ID set on the attendance terminal. They must match for normal operation.

【Join Date】: The AAS only process data starting from the Start Date, so for certain scenarios, you might want to intentionally adjust the Start Date.

【Leave Date】: This field is more key for access control purposes. On the leave date, this employee loses permission to unlock doors.

3.3.2 Modify Staff Information

Select the staff so it is highlighted, then click **【Modify】** to begin,

Staff Information

Save(S)... Continue Exit(E)...

Basic Information | Detailed Information

Staff Code: 00000001 User ID: 0000000001 First name: Get FP

Name: Sophie Card No: Password:

Department: 00000001 Position:

Gender: Female Marital Status: Unmarried Birth Date: 06/11/2004

Join Date: 01/01/2001 Add Photos Delete Photos

Expand Dropdown Menu

Add(A) Modify(M) Delete(D) Print(P) Import(I) Export(E) Exit(X)

Search Conditions: Basic Information: Staff Code: Search(E)


Company	Staff Code	User ID	Name	Department	Position	Card No.	Password	Join Date	Gender	Marital Status	Birth Date	Telephone	Email	Identity Ca
Sales	00000001	0000000001	Sophie	Company				01/01/2001	Female	Unmarried				

Search Tool

You may also use the Search Tool to filter the staff list based on the mandatory fields of staff information and gender. Select the field with the left dropdown menu, then select the logic comparator(=,>,<=,etc). Finally enter the desired value in the rightmost textbox. Click **【 Search 】** . With the filtered user list, you may now click the row corresponding to the staff, then click **【 Modify 】** . The remaining steps are identical to those outlined in the **【 Add 】** section.

3.3.3 Delete Staff Information

Within **【 Staff Information 】** , click to highlight the row of the staff (you may use the search tool or the company tree on the left to help navigate). Then click **【 Delete 】** .



The prompt (above) is a reminder that deleting staff will also delete their data.

3.3.4 Print Staff Information

Click to highlight the staff or select multiple staffs, then click **【Print】**. A print preview window will pop up. Click the printer icon to print.

Staff Personal Information

Date: 2019-06-04

Staff Code	00000001	Name	Sophie	User ID	0000000001
Department	Company	Identity Card		Card No	
Staff Type		Join Date	2001-01-01	Gender	Female
Title		Nationality		Position	
Residence		Birth Date		Political	
Staff Type		Telephone		Education	
Graduate		Marital Status	Unmarried	Postal Code	
Email					
Address					
School			Profession		
Remark					

3.4 Parameter Settings

This section allows you to add new categories as well as create preset items for fields such as Education, Position, Title, etc, so that they could be selected from a dropdown menu when inputting detailed staff information.

Staff Type	Education	Nationality	Residence	Position	Title	Political Status
No.	002	Name	Part-time			
No.	No.	Name				
1	001	Official				
2	002	Part-time				

Steps

1) Add Parameter Setting

Click the proper tab to begin, click **【Add】** to create a new preset item. For instance, under “Education”, you could add “Bachelor’s Degree”. When you’re done, click **【Save】** to finish.

2) Modify Parameter Setting

Click to highlight the proper row to begin, click **【Modify】**, make changes in the “Name field”. Click **【Save】** to finish.

3) Delete Parameter Setting

Click on the list to highlight the item you wish to delete, then click **【Delete】**. When the prompt appears, click **【Yes】** or press ENTER to complete the operation.

Chapter 4. Attendance System

4.1 Default Shift

Below is the pre-existing default shift that exists in the system.

Exit(E)

No.	Before	In Time	Not Need Swipe	Late In	After	Before	Early Out	Out Time	Not Need Swipe	After	Transaction Type
1	90	08:00	<input type="checkbox"/> Not Need Swipe	0	60	60	0	12:00	<input type="checkbox"/> Not Need Swipe	60	Normal
2	59	14:00	<input type="checkbox"/> Not Need Swipe	0	60	60	0	18:00	<input type="checkbox"/> Not Need Swipe	210	Normal
3		:	<input type="checkbox"/> Not Need Swipe					:	<input type="checkbox"/> Not Need Swipe		

Late in/Early out more than: minutes deduct working hours The shift cross day from times, the punch time is for next day

Regular Hours Overtime Hours

Early in minutes, calculated in overtime Late out minutes, calculated in overtime Confirm(O) Cancel(C)

Second: Workday Setting

Set Workday

Monday Tuesday Wednesday Thursday Friday Saturday Sunday

Saturday: Morning work, afternoon off Work all day Sunday: Morning work, afternoon off Work all day Confirm(O) Cancel(C)

Third: Default Shift Details

Default Shift Details

The default value will be setted for staff who are not arranged

4.2 Shift Definition

Within **Attendance System** click **Shift Definition** in the main menu or on the side bar.

Add(N)... Modify(U)... Delete(D)... Save(S)... Cancel(C)... Exit(E)...

Shift No. Shift Name Shift Detail

No.	Before	In Time	Not Need Swipe	Late In	After	Before	Early Out	Out Time	Not Need Swipe	After	Transaction Type
1	90	08:00	<input type="checkbox"/> Not Need Swipe	0	30	30	0	12:00	<input type="checkbox"/> Not Need Swipe	60	Normal
2	59	14:00	<input type="checkbox"/> Not Need Swipe	0	30	30	0	18:00	<input type="checkbox"/> Not Need Swipe	210	Normal
3		:	<input type="checkbox"/> Not Need Swipe					:	<input type="checkbox"/> Not Need Swipe		

Late in/Early out more than: minutes deduct working hours The shift cross day from times, the punch time is for next day

Regular Hours Overtime Hours

Early in minutes, calculated in overtime Late out minutes, calculated in overtime

Shift No.	Shift Name	Period 1 on work	Period 1 off work	Period 2 on work	Period 2 off work	Period 3 on work	Period 3 off work
1	Normal	08:00	12:00	14:00	18:00		

For the software, "Shift" refers to the set of rules for time intervals during which the staff is expected to be present. You may set the arrival time, departure time, late in, early out, definition of absence,

definition of overtime, and so on.

Consolidate all the possible work shifts for a day, then create your shifts such as day shift, nightshift, long day shift, etc.

Lexicon**【Shift Interval】 :**

These are time intervals within a shift. To clarify, “shift” in this manual refers to the pattern for a day. Our software support a maximum of 3 shift intervals.

Below is a sample shift “Long Day Shift” with 3 shift intervals

Interval 1: 08:00—12:00

Interval 2: 14:00—18:00

Interval 3: 20:00—04:00 (This shift extends to the next day)

Not Need Swipe:

Not Need Swipe

1) If the checkbox is checked, the software will not count employees as absent even if they haven't punched in.

2) If the checkbox is unchecked, the software will count employees as absent if they haven't punched in

Below is a shift sample of a company that works from 08:00 to 18:00 with lunch time from 12:00 to 14:00. Employees are not counted as absent when they don't punch in/out during lunch.

No.	Before	In Time	Not Need Swipe	Late In	After	Before	Early Out	Out Time	Not Need Swipe	After	Transaction Type
1	30	08:00	<input type="checkbox"/> Not Need Swipe	0	30	30	0	12:00	<input checked="" type="checkbox"/> Not Need Swipe	60	Normal
2	59	14:00	<input checked="" type="checkbox"/> Not Need Swipe	0	30	30	0	18:00	<input type="checkbox"/> Not Need Swipe	210	Normal
3		:	<input type="checkbox"/> Not Need Swipe					:	<input type="checkbox"/> Not Need Swipe		

【Transaction Type】:

This is a property of a shift interval, for the convenience of calculating the overtime pay. It can be either “Normal” or “Overtime”.

【Before】:

The value (in minutes) in this field defines how long before the shift interval can a staff punch in to count as attendance data.

Note: This is of concern to the attendance, not access permissions. Punching in earlier than the “Prior” value can still unlock the door, it just wouldn’t count on the attendance sheet.

Using the above figure as an example, if the “In Time” is set as 08:00 and “Prior” was set to 60, an employee will count as present beginning at 07:00. The attendance module will not count employees as clocked in before this time.

【After】:

The value (in minutes) in this field defines how late after the interval time can a staff punch in to count as present

Continuing from the example above, an “After” value of 30 will cause clock ins between 08:00 and 08:30 to count. After 08:30 the interval will count as absent. (Late time is defined in **【Late In】**, see below)

Note: Two Shift intervals including their respective “Prior” and “After” intervals shouldn’t overlap. If “Out Time” for a time interval was 12:00 and the “After” was 60 (Latest “Out Time” 13:00). And the “In Time” of the next “Shift Interval” was 13:30 with a “Prior” value of 60 (Earliest “In Time” 12:30. A punch at 12:43 will not be recorded but the calculated work hour and therefore wages will be inaccurate.

【Late In】:

The “Late In” value (in minutes) allows you to decide when a punch in counts as late. The “Late In” time should be in between “In Time” and “After” time therefore its value should be smaller than “After” value.

For example: **【In Time】** is 08:00, **【Late In】** set as 0, **【After】** as 30. If a staff clock in at 08:01, they will be marked as late by one minute.

【Early Out】:

The “Early Out” value (in minutes) allow you to decide when a punch in counts as early leave. The “Early Out” time should be in between “Prior” and “Out Time” therefore its value should be smaller than “Prior” value.

For example: 【Out Time】 is 12:00, 【Early Out】 set as 0, 【Prior】 as 30. If a staff clock in at 11:59, they will be marked as early leave by one minute.

【Work Hour Penalty】:

Late in/Early out more than: minutes deduct working hours

This field defines when the software deducts working hours based on the total of Early and Late punch in times of a staff across all shift intervals within a shift definition. So if this value is set to 10, and staffs are required to show up between 08:00 to 18:00 and if a staff has a total of 11 minutes (including late and early), the software reports will deduct work hours. Otherwise, the total work hour will be counted as 10 hours in the software.

【Day Crossover】:

The shift cross day from times, the punch time is for next day

If the shift crosses over to the next day, use this field to indicate which clock in is on the next day. (for example if shift interval 2 “Out Time” occurs on the next day, the field should be 4)

Add(N)...		Modify(U)...		Delete(D)...		Save(S)...		Cancel(C)...		Exit(E)...			
Shift No.	2	Shift Name	Test									Shift Detail	
No.	Before	In Time	Not Need Swipe	Late In	After	Before	Early Out	Out Time	Not Need Swipe	After	Transaction Type		
1	60	08:30	<input type="checkbox"/> Not Need Swipe	0	60	60	0	12:00	<input type="checkbox"/> Not Need Swipe	30	Normal		
2	60	13:30	<input type="checkbox"/> Not Need Swipe	0	60	60	0	18:00	<input type="checkbox"/> Not Need Swipe	20	Normal		
3	10	18:30	<input type="checkbox"/> Not Need Swipe	0	30	60	0	06:00	<input type="checkbox"/> Not Need Swipe	60	Overtime		
Late in/Early out more than: 30 minutes deduct working hours						<input checked="" type="checkbox"/> The shift cross day from 6 times, the punch time is for next day							
						Regular Hours 8		Overtime Hours 0					
<input type="checkbox"/> Early in minutes, calculated in overtime						<input type="checkbox"/> Late out minutes, calculated in overtime							
Shift No.	Shift Name	Period 1 on work	Period 1 off work	Period 2 on work	Period 2 off work	Period 3 on work	Period 3 off work						
1	Normal	08:00	12:00	14:00	18:00								
2	Test	08:30	12:00	13:30	18:00	18:30	06:00						

For the image above, shift interval 3's "Out Time" crosses over to the next day. The maximum allowed overtime in this case for purposes of payroll is until 06:00. Any further stay will not increase the work hour, and the employee has until 07:00 ("After" value of 60) to clock in for "Out Time", later than this time will be counted as absent.

Using the same shift as above, if a staff punches for the "Out Time" of shift interval 3 at 23:00, the software will count an overtime of 4.5 hours. At 00:30, 6 hours, 06:15, 11.5 hours, and then at 07:01, absent.

【Overtime late in】:

Overtime late in

Toggles whether you count staffs as late even for overtime.

【Overtime early out】:

Overtime early out

Toggles whether you count staffs' early leave during overtime.

【Early Arrival overtime】:

Early in minutes, calculated in overtime

Define how much earlier than the Shift interval 1 “In Time” will an employee count as overtime.

Shift No. 1		Shift Name Normal		Shift Detail							
No.	Before	In Time	Not Need Swipe	Late In	After	Before	Early Out	Out Time	Not Need Swipe	After	Transaction Type
1	360	08:00	<input type="checkbox"/> No card punch	0	30	30	0	12:00	<input checked="" type="checkbox"/> No card punch	60	Normal
2	60	14:00	<input checked="" type="checkbox"/> No card punch	0	30	30	0	18:00	<input type="checkbox"/> No card punch	240	Normal
3		:	<input type="checkbox"/> No card punch					:	<input type="checkbox"/> No card punch		
Late in/Early out more than: 5 minutes deduct working hours						<input type="checkbox"/> The shift cross day from times, the punch time is for next day					
<input type="checkbox"/> Overtime late in		<input type="checkbox"/> Overtime early out		Regular Hours 8		Overtime Hours 0					
<input checked="" type="checkbox"/> Early in 60 minutes, calculated in overtime		<input type="checkbox"/> Late out minutes, calculated in overtime									

For the example above, an employee can punch in starting from 360 minutes before 08:00, that is, 02:00. The value for “Early Arrival Overtime” is 60 so an early arrival of any amount of time exceeding 60 minutes will count as overtime. For example, if an employee clocks in at 06:00, it will count as an overtime of 2 hours. Otherwise if he clocks in at 07:02, it will count as a typical record.

【Off work Delay overtime】:

Define how much later than the last shift interval “Out Time” will an employee count as overtime.

Late out minutes, calculated in overtime

Shift No. 1		Shift Name Normal		Shift Detail							
No.	Before	In Time	Not Need Swipe	Late In	After	Before	Early Out	Out Time	Not Need Swipe	After	Transaction Type
1	360	08:00	<input type="checkbox"/> No card punch	0	30	30	0	12:00	<input checked="" type="checkbox"/> No card punch	60	Normal
2	60	14:00	<input checked="" type="checkbox"/> No card punch	0	30	30	0	18:00	<input type="checkbox"/> No card punch	240	Normal
3		:	<input type="checkbox"/> No card punch					:	<input type="checkbox"/> No card punch		
Late in/Early out more than: 5 minutes deduct working hours						<input type="checkbox"/> The shift cross day from times, the punch time is for next day					
<input type="checkbox"/> Overtime late in		<input type="checkbox"/> Overtime early out		Regular Hours 8		Overtime Hours 0					
<input type="checkbox"/> Early in minutes, calculated in overtime		<input checked="" type="checkbox"/> Late out 30 minutes, calculated in overtime									

During the shift above, an employee has 240 minutes after 18:00 to punch out (22:00) and overstaying will count as overtime in the system as long as it exceeds 30 minutes. An employee leaving at 18:29 will count as typical record, at 18:30, it counts as 30 minutes overtime.

【Default Shift】:

If a shift is not assigned to a staff during registration, the “Default Shift” will be assigned to said staff. This “Default Shift” can be edited manually.

2. Common Shifts Examples

Example 1:

Working from 08:00 to 18:00 with lunch between 12:00 and 14:00. No overtime and punch in/out for lunch not required.

No.	Before	In Time	Not Need Swipe	Late In	After	Before	Early Out	Out Time	Not Need Swipe	After	Transaction Type
1	90	08:00	<input type="checkbox"/> Not Need Swipe	0	30	30	0	12:00	<input checked="" type="checkbox"/> Not Need Swipe	60	Normal
2	59	14:00	<input checked="" type="checkbox"/> Not Need Swipe	0	30	30	0	18:00	<input type="checkbox"/> Not Need Swipe	210	Normal
3		:	<input type="checkbox"/> Not Need Swipe					:	<input type="checkbox"/> Not Need Swipe		

Late in/Early out more than: minutes deduct working hours The shift cross day from times, the punch time is for next day

Regular Hours Overtime Hours

Early in minutes, calculated in overtime Late out minutes, calculated in overtime

Shift No.	Shift Name	Period 1 on work	Period 1 off work	Period 2 on work	Period 2 off work	Period 3 on work	Period 3 off work
1	Normal	08:00	12:00	14:00	18:00		

Example 2:

Working day starts at 08:00 and ends at 18:00. Lunch hour begins at 12:00 and ends at 14:00. Overtime begins at 18:30 giving staff a break of 30 minutes and the work day ends at 21:00.

<input type="button" value="Add(N)..."/> <input type="button" value="Modify(U)..."/> <input type="button" value="Delete(D)..."/> <input type="button" value="Save(S)..."/> <input type="button" value="Cancel(C)..."/> <input type="button" value="Exit(E)..."/>											
Shift No. 1		Shift Name Normal		Shift Detail							
No.	Before	In Time	Not Need Swipe	Late In	After	Before	Early Out	Out Time	Not Need Swipe	After	Transaction Type
1	60	08:00	<input type="checkbox"/> No card punch	0	30	30	0	12:00	<input checked="" type="checkbox"/> No card punch	60	Normal
2	60	14:00	<input checked="" type="checkbox"/> No card punch	0	30	30	0	18:00	<input type="checkbox"/> No card punch	15	Normal
3	15	18:30	<input type="checkbox"/> No card punch	0	30	30	0	21:00	<input type="checkbox"/> No card punch	60	Overtime
Late in/Early out more than: <input type="text" value="5"/> minutes deduct working hours <input type="checkbox"/> The shift cross day from <input type="text" value=""/> times, the punch time is for next day											
<input type="checkbox"/> Overtime late in <input type="checkbox"/> Overtime early out Regular Hours <input type="text" value="8"/> Overtime Hours <input type="text" value="2.5"/>											
<input type="checkbox"/> Early in <input type="text" value=""/> minutes, calculated in overtime <input type="checkbox"/> Late out <input type="text" value=""/> minutes, calculated in overtime											
Shift No.	Shift Name	Period 1 on work	Period 1 off work	Period 2 on work	Period 2 off work	Period 3 on work	Period 3 off work				
1	Normal	08:00	12:00	14:00	18:00	18:30	21:00				

Example 3:

Working day starts at 08:00 and ends at 18:00. Lunch hour begins at 12:00 and ends at 14:00. Overtime begins at 18:30 giving staff a break of 30 minutes. The staffs are not allowed to work overtime past 06:00.

<input type="button" value="Add(N)..."/> <input type="button" value="Modify(U)..."/> <input type="button" value="Delete(D)..."/> <input type="button" value="Save(S)..."/> <input type="button" value="Cancel(C)..."/> <input type="button" value="Exit(E)..."/>											
Shift No. 1		Shift Name Normal		Shift Detail							
No.	Before	In Time	Not Need Swipe	Late In	After	Before	Early Out	Out Time	Not Need Swipe	After	Transaction Type
1	60	08:00	<input type="checkbox"/> No card punch	0	30	30	0	12:00	<input checked="" type="checkbox"/> No card punch	60	Normal
2	60	14:00	<input checked="" type="checkbox"/> No card punch	0	30	30	0	18:00	<input type="checkbox"/> No card punch	15	Normal
3	15	18:30	<input type="checkbox"/> No card punch	0	30	630	0	06:00	<input type="checkbox"/> No card punch	60	Overtime
Late in/Early out more than: <input type="text" value="5"/> minutes deduct working hours <input checked="" type="checkbox"/> The shift cross day from <input type="text" value="6"/> times, the punch time is for next day											
<input type="checkbox"/> Overtime late in <input type="checkbox"/> Overtime early out Regular Hours <input type="text" value="8"/> Overtime Hours <input type="text" value="11.1"/>											
<input type="checkbox"/> Early in <input type="text" value=""/> minutes, calculated in overtime <input type="checkbox"/> Late out <input type="text" value=""/> minutes, calculated in overtime											
Shift No.	Shift Name	Period 1 on work	Period 1 off work	Period 2 on work	Period 2 off work	Period 3 on work	Period 3 off work				
1	Normal	08:00	12:00	14:00	18:00	18:30	06:00				

Example 4:

Half work days (typically Saturday)

Working day starts at 08:00 and ends at 12:00. If you want to include parameters that define overtime, check the boxes for "Early Arrival Overtime" and/or "Off Work Delay Overtime" and enter a value.

Note: Overtime cannot be further than the "After" value so if you choose to add this function, set a large Prior/ After value to avoid counting as absent.

<input type="button" value="Add(N)..."/> <input type="button" value="Modify(U)..."/> <input type="button" value="Delete(D)..."/> <input type="button" value="Save(S)..."/> <input type="button" value="Cancel(C)..."/> <input type="button" value="Exit(E)..."/>											
Shift No: <input type="text" value="1"/>		Shift Name: <input type="text" value="Normal"/>			Shift Detail: <input type="text"/>						
No.	Before	In Time	Not Need Swipe	Late In	After	Before	Early Out	Out Time	Not Need Swipe	After	Transaction Type
1	<input type="text" value="09:00"/>	<input type="text" value="08:00"/>	<input type="checkbox"/> Not Need Swipe	<input type="text" value="0"/>	<input type="text" value="30"/>	<input type="text" value="30"/>	<input type="text" value="0"/>	<input type="text" value="12:00"/>	<input checked="" type="checkbox"/> Not Need Swipe	<input type="text" value="60"/>	<input type="text" value="Normal"/>
2	<input type="text" value=":"/>	<input type="text" value=":"/>	<input type="checkbox"/> Not Need Swipe	<input type="text" value=""/>	<input type="text" value=""/>	<input type="text" value=":"/>	<input type="text" value=":"/>	<input type="text" value=":"/>	<input type="checkbox"/> Not Need Swipe	<input type="text" value=""/>	<input type="text" value=""/>
3	<input type="text" value=":"/>	<input type="text" value=":"/>	<input type="checkbox"/> Not Need Swipe	<input type="text" value=""/>	<input type="text" value=""/>	<input type="text" value=":"/>	<input type="text" value=":"/>	<input type="text" value=":"/>	<input type="checkbox"/> Not Need Swipe	<input type="text" value=""/>	<input type="text" value=""/>
Late in/Early out more than: <input type="text" value="0"/> minutes deduct working hours						<input type="checkbox"/> The shift cross day from <input type="text" value=""/> times, the punch time is for next day					
						Regular Hours <input type="text" value="4"/>		Overtime Hours <input type="text" value="0"/>			
<input type="checkbox"/> Early in <input type="text" value=""/> minutes, calculated in overtime						<input type="checkbox"/> Late out <input type="text" value=""/> minutes, calculated in overtime					

Steps

1) Add Shift Definition

Within **Shift Definition**, click "Add", input the shift number, shift name and department (default as the entire organization). Then configure the Shift intervals parameters. Click **Save** to finish after you have confirmed the input parameters.

2) Modify Shift Definition

Within **Shift Definition**, select the shift you want to modify on the list below. Click **Modify** to beginning changing parameters. Click **Save** to finish after you have confirmed the input parameters.

3) Delete Shift Definition

Within **Shift Definition**, select the shift on the list below. Click **Delete** to beginning changing parameters. Click **Save** to finish after you have confirmed the input parameters.

4.3 Shift Pattern

Define how the working hours look like over a shift cycle.

Click **Attendance Management** then **Shift Pattern** > **Period Type: Daily**

Use this Period Type for cycles that aren't multiples of weeks or months. This Period Type will allow for a highly customized shift pattern.

No. 1	Name Normal Group	Period Type Daily	Remark
Schedule Period			
8	Daily		
	Normal	Normal	Rest
	Normal	Normal	Rest
	Normal	Normal	Rest
	Normal	Normal	Rest
	Normal	Normal	Rest
	Rest		

For example, the image above shows a Shift Pattern of 8 days with 6 actual working days and two rest days.

No. 1	Name Normal Group	Period Type weekly	Remark
Schedule Period			
1	weekly		
	Monday	Normal	
	Tuesday	Normal	
	Wednesday	Normal	
	Thursday	Normal	
	Friday	Normal	
	Saturday	Rest	
	Sunday	Rest	

This second example above shows a shift cycle of a week.

No. 1	Name Normal Group	Period Type Monthly	Remark							
Schedule Period										
1	Monthly									
	1	Normal	2	Normal	3	Normal	4	Normal	5	Rest
	6	Normal	7	Normal	8	Normal	9	Normal	10	Rest
	11	Normal	12	Normal	13	Normal	14	Normal	15	Rest
	16	Normal	17	Normal	18	Normal	19	Normal	20	Rest
	21	Normal	22	Normal	23	Normal	24	Normal	25	Rest
	26	Normal	27	Normal	28	Normal	29	Normal	30	Rest
	31	Normal								

If a monthly Shift Pattern is chosen, then the staff's work schedule will follow it during the month. (The software ignores the dates of 29,30 and 31 appropriately according the effective month.)

Steps:

1) Add Shift Pattern

Within **【 Shift Pattern 】**, click "Add" and input Shift Pattern Name, Period Type, Shift Period, etc. Then for each day, select the appropriate shift with the drop down menu (click on a field beside

the day to reveal drop down menu). Click **【Save】** to finish.

2) Modify Shift Pattern

Within **【Shift Pattern】**, click on the Shift Pattern from the list at the bottom. Click **【Modify】** and begin editing. Click **【Save】** to finish.

3) Delete Shift Pattern

Within **【Shift Pattern】**, select the Shift Pattern from the list at the bottom, then click **【Delete】**.

4.4 Shift Allotment


Now that you have created Shift and Shift Patterns, you must assign them to staff(s). Shift allotment is an essential procedure to generate proper and meaningful report apart from Shift Definition and Shift Patterns. A staff must be assigned a "Shift Pattern" for the system to properly determine if he is late or leaves early often, or if he does overtime often.

No.	Department	Shift Code	Name	Shift Name	Shift Date

Steps:

1) Add Shift Allotments

Within **【Shift Allotment】**, click "Add". Then click "Select Staff". A new window will pop up (see figure below), allowing to select the staff(s) that will work according to these shift patterns.



Use the directory of departments on the left to find the staff(s), click on the department, then select the staffs under Staff to be choosed 0 records Source 0 records. Once the staff is highlighted, click the “Single Selection” button to transfer the staff to the Selected staff 3 records. The “All selection” button is used if the whole department follows this shift pattern. Click **【Confirm】**.

Now select the dates that these shift patterns are effective on.

Start Date:

End Date:

Then select the “Shift Pattern”

Shift Pattern:

Click **【Save】** to finish.

2) Delete Shift Allotment

Within **【Shift Allotment】**, select the item on the list which you wish to delete. Click “Delete”.

3) View Shift Allotment Details

Within **【 Shift Allotment 】** , click on the “Search Tool” checkbox to reveal the search bar. Select/input the Staff Name, Staff Code, Department and the Start Date and End Date to filter out the results. Click “Search” to see results (see fig below).

No.	Department	Staff Code	Name	Shift Name	Shift Date
1	Company	00000001	Sophie	Rest	2019-06-01
2	Company	00000001	Sophie	Rest	2019-06-02
3	Company	00000001	Sophie	Normal	2019-06-03
4	Company	00000001	Sophie	Normal	2019-06-04
5	Company	00000002	Daisy	Rest	2019-06-01
6	Company	00000002	Daisy	Rest	2019-06-02
7	Company	00000002	Daisy	Normal	2019-06-03
8	Company	00000002	Daisy	Normal	2019-06-04
9	Company	00000003	Tracy	Rest	2019-06-01
10	Company	00000003	Tracy	Rest	2019-06-02
11	Company	00000003	Tracy	Normal	2019-06-03
12	Company	00000003	Tracy	Normal	2019-06-04
13	Company	00000004	ken	Rest	2019-06-01
14	Company	00000004	ken	Rest	2019-06-02
15	Company	00000004	ken	Normal	2019-06-03
16	Company	00000004	ken	Normal	2019-06-04

4.5 Total Schedule

You can view the total schedule in a monthly calendar view, you could easily modify the shift pattern in this matter as well.

Click “Attendance Management” then “Total Schedule” to come to the window below.

Month of Schedule:	2019-06
Company	
Sales	
Staff C...	Name
00000001	Sophie
00000002	Daisy
00000003	Tracy
00000004	ken

Month:	2019-6	Staff No.:	00000001	Name:	Sophie	
Shift Schedule						
Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
						Rest
2	3	4	5	6	7	8
Rest	Normal	Normal	Normal	Normal	Normal	Rest
9	10	11	12	13	14	15
Rest	Normal	Normal	Normal	Normal	Normal	Rest
16	17	18	19	20	21	22
Rest	Normal	Normal	Normal	Normal	Normal	Rest
23	24	25	26	27	28	29
Rest	Normal	Normal	Normal	Normal	Normal	Rest
30						
Rest						

Steps:

1) View Total Schedule

First select the proper “Month” and enter the proper staff information. Alternatively you may use the Department Directory (remarked on figure above) to find the staff. Select the department, then click on the staff on the “List of Staffs” directly below.

2) Modify Total Schedule

When viewing the staff’s total schedule, you could modify the day by clicking the field underneath the date to choose/type in the value in the drop down menu. Click **【Save】** to finish.

3) Delete Total Schedule

This deletes the entire schedule of a staff for the month. When viewing the staff’s total schedule, click “Delete”. Then click “Yes” to confirm.

4.6 Holiday Registration

This is where you define the holidays that apply to your staffs. These holidays will be counted as day off.

Click “Attendance System” then “Holiday” to begin.

Holiday No.:		<input type="text" value="1"/>	Holiday Name:		<input type="text" value="Christmas"/>
Start Date:		<input type="text" value="2019-12-24"/> <input type="text" value="00:00"/>	End Date:		<input type="text" value="2019-12-24"/> <input type="text" value="23:59"/>
Reason: <input type="text"/>					
No.	Holiday No.	Holiday Name	Start Date	End Date	Reason
1	1	Christmas	2019-12-24	2019-12-24 23:59:00	
2	1	Christmas	2019-12-25	2019-12-25 23:59:00	
3	1	Christmas	2019-12-26	2019-12-26 23:59:00	

Steps:

1) Add Holiday

Click “Add” to begin. Input the fields including the Holiday No., the holiday’s name, start date and end date. Reason field can be used for remarks. Click “Save” to complete the operation.

2) Modify Holiday

Select the row corresponding to the Holiday you would like to edit, click “Modify”. Edit the fields, then click “Save” to finish.

3) Delete Holiday

Select the row corresponding to the Holiday you would like to delete.
Click "Delete" to finish the operation.

4.7 Leave Registration

This section allows you to register employees for leave, business trips, external work, working away from office, etc.

Click into **Attendance System** then click on **Leave Registration** on the left panel.1

No.	Staff Code	Name	Start Date	End Date	Leave Type	Reason
1	00000001	Sophie	06-04-2019 00:00	06-04-2019 23:59	Sick Leave	

Steps:

1) Add Leave Registration

Within Leave Registration, click "Add". Then click "Select Staff" to open a new window.

Name	User ID	Department
Sophie	000000001	Company
Dasy	000000002	Company
Tracy	000000003	Company
ken	000000004	Company

Select the appropriate company/ department in the left most panel to see the employee list. Then move individual staff onto the selected

staff list on the right or click “All selection” to move all staff. Once you are done, click “Confirm.” Now you are back in the Leave Registration main window, input the correct start and end’s date and time, Leave Type and Reason if any. Click “Save” to finish.

Lexicon

【 Leave Type 】: Allows you to define the type of leave. There are 7 types of leaves: Personal Affairs, Sick Leave, Maternity Leave, Marriage Leave, Annual Leave, Out Offsite-Duty, and Business Trip.

2)Modify Leave Registration

Select the leave record, then click “Modify”. Correct the input fields then click “Save” to finish.

3)Delete Leave Registration

Select a leave record, then click “Delete”.

4.8 Manual Punch

【 Manual Punch 】: The system administrator may use this function to clock in on behalf of a staff.

Click “Attendance System”, then “Manual Punch” on the side panel.

No.	Staff Code	Name	Date	Time	Reason
1	00000001	Sophie	2019-06-04	08:00	
2	00000001	Sophie	2019-06-04	12:00	
3	00000001	Sophie	2019-06-04	13:35	

Steps:

1) Add Manual Punch

Within Manual Punch, click “Add”. Click “Select Staff” to bring out a new window. Use the directory tree to find the employees, then click “Single Selection” or “All Select” to move staff into the Selected Staff list. Click “Confirm”. Now fill in the “Start Date”, “End Date” and input the clock-in times 1 through 6 (if applicable). Be sure to record the

reason for future reference. Click “Save” to finish.

2) Modify Manual Punch

Within Manual punch, click on a manual punch record. Click “Modify” and change the field. Click “Save” to finish.

3) Delete Manual Punch

Select a manual punch record, click “Delete” then “OK” to remove the manual punch record.

4.9 Overtime Rules

This module allows you to define the rules to calculate overtime in the report. Click “Attendance System”, then “Overtime Rules” in the side panel.

No.	Calculation Category	Category Name	Initial Value	Integer Value	Overtime Rate
1	A011	Overtime	30	30	1

Lexicon

【Initial Value】 : An overtime exceeding this duration will count as overtime.

【Integer Value】 : The system only counts overtime in blocks of this time interval. (For clarification see example below)

【Overtime Rate】 : A multiplier to convert overtime to effective work hours.

For example: Using configurations on the image above. If an employee stayed an extra 65 minutes, the duration qualifies as overtime because it exceeds 30 minutes. Now the software counts overtime in blocks of 20 minutes so it only counts 60 minutes. The Overtime Multiplier of 1.5 converts the 60 minutes into a final effective work time of 90 minutes.

Steps:

1) Modify Overtime Rules


Within “ Overtime Rules”, click “Modify” to change the fields. Click “Save” to finish.

4.10 Device Management

Note: Please kindly select device type (fingerprint or infrared face device or dynamic face device)

Select “Attendance System>then according to your device type to add device in corresponding module,take fingerprint device as an example:

The Device Management is shown below.



4.10.1 Add Device

Click “Add”, and select corresponding device type

Begin by selecting the “Communication Mode”, there are four modes: Serial COM Port, TCP/IP, USB, and P2S.


1)USB Communication

Select this mode if you have a USB to USB male to male cable. The “Machine ID” must match with the device ID on the device proper. Then Click “Save” to finish.

2) Serial Port

The “Machine ID” and Baud Rate (Default 38400bps) must match with

the system info on the device itself. Select the “Serial Port” of the PC. To find the proper COM number, go to Window’s Device Manager as shown in the image below. “Device Utility” and “Device Location” are optional but should be filled properly for proper documentation.



3) TCP/IP

Machine ID	<input type="text" value="1"/>	Communication Mode	<input type="text" value="TCP/IP"/>		
Device IP	<input type="text" value="192.168.1.212"/>	Port No	<input type="text" value="5005"/>	password	<input type="text" value="0"/>
Device Name	<input type="text" value="Attendance Machine"/>	Device Utility	<input type="text"/>	Device Place	<input type="text"/>

The PC connects to the device through Ethernet cables in this mode. Enter the terminal’s “Machine ID”, “Device IP”, and “Port No.” (Default 5005). The communication “Password” is defaulted at 0. Click “Save” to finish.

4) P2S

Machine ID	<input type="text" value="1"/>	Communication Mode	<input type="text" value="P2S"/>		
		Server Port	<input type="text" value="7005"/>	Heartbeat Packet Time	<input type="text" value="5"/>
Device Name	<input type="text" value="Attendance Machine"/>	Device Utility	<input type="text"/>	Device Place	<input type="text"/>

The PC connects with the terminal via a Point-to-Site connection. The Router’s “Port Forwarding”, and the device’s Port Number must match the “Server Port” field. To configure the router’s parameters, enter its Gateway IP address. (i.e. 192.168.0.1).

The server IP address value on the terminal must match your server IP address. If the server doesn’t have a static IP, then you must set its domain name instead within the terminal.

4.10.2 Modify Device

Select the Device then Click "Modify". Change the field values then click "Save" to finish.

4.10.3 Check Status

Select a device then click "Check Online". The bottom panel will show whether connection is established.

4.10.4 Get Information


Select a device and Click "Get Information" to acquire device information such as registered users, used fingerprint capacity, etc.

4.10.5 Set Time

Select a device and click "Set Time". The software will change the device's time based on the PC's time.

4.10.6 Device Management

Click "Device Management" button within the "Device Management" module (as shown below).



1) Staff Fingerprint Management

【Download Staff Information】: Pulls registered fingerprint data into the database. For employees that weren't registered into the software's HR System, the AAS will automatically create the profiles.

Lexicon

【Backup】: The column identifies what verifications are registered.

00—First fingerprint

01—Second fingerprint

02—Third fingerprint

09—Duress fingerprint

10—PIN

11—ID Card

17—Infrared Face

50—Dynamic face

【Rights】: Whether the user is an administrator or a normal user.


Administrator—The administrator can access the terminal's menu and therefore its parameters.

Normal User—A normal user may clock in/ gain access via the terminal.

【Upload Staff Information】: Uploads selected staffs onto devices in case of a reset or for quick registration on terminals. That includes their names, departments and verification data.

Click “Upload Staff Information”, use the staff directory to move staffs into the selected list on the right (See Image Below).Click “Confirm” to initiate the upload operation.

If the fingerprint data are already on the devices, select the “Register name only” checkbox at the top to upload the names.




【Modify User Rights】: Change the permission of users. Select a user in the list and click “Modify User Rights”,

【Delete registration info in the machine】: Deletes the user on the terminal. Select a user in the list and click “Delete registration info in the machine”.


2) Bell device

Time attendance terminals come with an internal bell function (select models have external bell sockets).

Select the “Bell device” tab. The window will be as shown in the image below. The interface allows you to set 8 sets of bell chimes and their times.



4.10.7 Data Import/Export Using USB Flash Drive



1) Time logs download

After inserting a flash drive into the terminal, you may use the “Download new record” or “Download all record” within “U-Disk

download” on the terminal to pull attendance records onto the flash drive. At the operation’s completion, a file ‘AGL001.TXT’ will be generated. (001 is the Device ID)

Now insert the USB flash drive to the PC, click “Get U Disk Record” and navigate to the .TXT file to import data.

2) Registration Data Download

After inserting a flash drive into the terminal, you may use the “Download all FP” within “U-Disk download” on the terminal to pull attendance records onto the flash drive. At the operation’s completion, a file ‘AFP001.DATA’ will be generated (001 is the Device ID).


Now insert the USB flash drive to the PC, click “Get U Disk FP Template” and navigate to the .DATA file to import data.

3) Registration Data Upload

Save the registration data into a .DAT file (e.g. AFP001.DAT) and move the file to a flash drive. Insert the flash drive into the terminal and browse its menu for “U-Disk upload”

4.10.8 Download Record

Select the device in “Device Management”, then select either “New Record” or “All Record” Option box. Then click “Download Record”



New Record: Download only new records since last download.


All Record: Download all records, may contain duplicate time logs.

4.10.9 Initialize Device

This function irreversibly removes all registration and time logs from the device, use it with care.

4.10.10 Clear All Tips

Removes all status messages. (See image below)



4.10.11 Clear Admin

Removes all administrators from the terminal.

4.10.12 Manual Open

Manually unlock doors with this function.

4.10.13 Set Access Parameters

Select which parameters to upload onto the terminals.

Access Parameters Setting

Upload Access Parameters Advanced Setting(Access Control Panel) Advanced Setting(Access Control Panel)

"Transfer day time zone information" will upload the time zone information in the database, (transmit) to the device selected on the left. Transfer day time zone information

"Transfer week time zone information" will upload the time zone information in the database, (transmit) to the device selected on the left. Transfer week time zone information

"Transfer open lock combination information" will upload the Open lock combination information in the database, (transmit) to the device selected on the left. Transfer unlock combination information

"Transfer access permissions information" will upload the Access permissions information in the database, (transmit) to the device selected on the left. Transfer access rights information

Upload the selected parameters to the machine

4.11 Data Analysis

【Data Analysis】 includes **【Original Report】** , **【Detail Report】** , **【Daily Report】** , **【Monthly Report】** . With the exception of "Original Report", the module generates report based on the time logs of staffs.

4.11.1 Original Record

【Original Record】: Raw time logs from the attendance terminal;

4.11.2 Detailed Report

【Detailed Report】: It shows all records of a day.

Select Total work time to count total work time

From:	Department	Name	Staff Code	Date	Work	Time1	Time2	Time3	Time4	Time5	Time6	Time7	Time8	Time9	Time10	Time11	Time12	Total work time
06/04/2019	Company	Sophie	00000001	06/04/2019	Tuesday	08:00	12:00	13:30	18:00									9.50
06/04/2019	Company	Daisy	00000002	06/04/2019	Tuesday	08:30	18:00											9.50
	Company	Tracy	00000003	06/04/2019	Tuesday	08:30	18:00											
	Company	Ken	00000004	06/04/2019	Tuesday													
	Company	5	00000005	06/04/2019	Tuesday													
	Company	6	00000006	06/04/2019	Tuesday													

4.11.3 Daily Report

【Daily Report】: The data generated from the time logs of employees by day. The rules are according to different shift settings in

“Attendance System” module. Select Total to count total data of selected date

From:	Staff Code	Name	Date	Rate	Shift	Rate	On	Off	On	Off	Absent	Working	OT	Late	Early	Absent	Public	Leave	Sick	
06/01/2019	00000001	Sophie	2019-06-01	06/01/2019	Rest															
06/01/2019	00000001	Sophie	2019-06-02	06/02/2019	Rest															
06/01/2019	00000001	Sophie	2019-06-03	06/03/2019	Normal						1									Absence 4.00
06/01/2019	00000001	Sophie	2019-06-04	06/04/2019	Normal	08:00	12:00													Sick Leave 4.00
	00000002	Daisy	2019-06-01	06/01/2019	Rest															
	00000002	Daisy	2019-06-02	06/02/2019	Rest															
	00000002	Daisy	2019-06-03	06/03/2019	Normal						1									
	00000002	Daisy	2019-06-04	06/04/2019	Normal	08:30	12:00					1.2	3.5	0	30	0	1	0	0	Absence 4.00
	00000003	Tracy	2019-06-01	06/01/2019	Rest															
	00000003	Tracy	2019-06-02	06/02/2019	Rest															
	00000003	Tracy	2019-06-03	06/03/2019	Normal						1									
	00000003	Tracy	2019-06-04	06/04/2019	Normal	08:30	12:00					1.2	3.5	0	30	0	1	0	0	Absence 4.00
	Total											1.12	3.5	0	30	0	1	0	0	

4.11.4 Monthly Report

【Monthly Report】: The data generated from the accumulation of attendance logs of employees in a month (default). The rules are according to different shift settings in “Attendance System” module. You may adjust the time period to show the accumulated data for a different range.


From:	Staff Code	Name	Year/Month	Due Attendance Days	Actual Attendance Days	Absent Days	Working Hours	OT Hours	Late In Minutes	Early Out Minutes	Late In Times	Early Out Times	Absent Punch Times	Public Holiday Hours	Leave Hours
06/01/2019	00000001	Sophie	2019/06	2	0	1	0.00	0.00	0	0	0	0	1	0	4
06/30/2019	00000002	Daisy	2019/06	2	88	1.12	3.50	30	1	1	1	1	0		
	00000003	Tracy	2019/06	2	88	1.12	3.50	30	1	1	1	1	0		
	00000004	Ken	2019/06	2		2						2			

Chapter 5 Access System

5.1 Access System

Note: Please kindly select device type (fingerprint or infrared face device or dynamic face device)

Select "Attendance System" then according to your device type to set up access parameters for different device, take fingerprint device as an example:



5.1.1 Time Zone

The top section contains daily templates specifying the times at which access is granted. The bottom contains weekly templates that uses the daily templates. (Max 8 each)

Exit(E)

Day Time Zone Setting

Add Modify Delete

Day Time Zone	Description	Time Zone1		Time Zone2		Time Zone3		Time Zone4		Time Zone5	
No.		Start	End	Start	End	Start	End	Start	End	Start	End
1	Day Period 1	00:00	23:59	00:00	00:00	00:00	00:00	00:00	00:00	00:00	00:00

Week Time Zone Setting

Add Modify Delete

Week Time Zone No.	Description	Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
1	Week Period 1	1	1	1	1	1	1	1

5.1.1.1 Add/Modify/Delete Day Time Zone

1) Add Day Time Zone

Within "Access System" > "Time Zone", click "Add" to bring up the prompt (see image below). The default time zones allow access at any time throughout the day. The system allows 5 Time Zones within a Day Time Zone template up to a maximum of 8 templates.

Day Time Zone Settings

Please select week time zone number.: 1 Description:

Time Zone1: 00:00 - 23:59

Time Zone2: 00:00 - 23:59

Time Zone3: 00:00 - 23:59

Time Zone4: 00:00 - 23:59

Time Zone5: 00:00 - 23:59

Confirm Cancel

Select a time zone number from the dropdown menu, then change the "Time Zone" intervals and "description" fields, click "Confirm".

2) Modify Day Time Zone


Within "Access System">"Time Zone", select a "Day Time Zone" and click "Modify". Change the fields then click "Confirm" to finish.

3)Delete Day Time Zone

Within "Access System">"Time Zone", select a "Day Time Zone" and click "Delete".

5.1.1.2 Add/Modify/Delete Week Time Zone

A "Week Time Zone" item consists of the Day Time Zone templates assigned to each day of the week. You can have up to 8 Week Time Zones.



The screenshot shows a dialog box titled "Week Time Zone". It features a clock icon on the left. The main area contains a label "Please Select Time Zone number:" followed by a dropdown menu currently set to "1". To the right is a "Description:" text box. Below this, there are seven input fields corresponding to the days of the week: Sunday, Monday, Tuesday, Wednesday, Thursday, Friday, and Saturday. Each of these fields contains the text "1 Day Peric". The Friday field has a small downward arrow on its right side. At the bottom right of the dialog are two buttons: "Confirm" and "Cancel".

1)Add Week Time Zone

Select a time zone number from the dropdown menu, then change the "Description" and the fields for the days of the week. The Number you enter will correspond to the "Day Time Zone" template number, click "Confirm" to finish.

2) Modify Week Time Zone


Within "Access System">"Time Zone", select a "Week Time Zone" and click "Modify". Change the fields then click "Confirm" to finish.

3)Delete Week Time Zone

Within "Access System">"Time Zone", select a "Week Time Zone" and click "Delete".

5.1.2 Unlock Group

Each unlock Group consists of 4 groups. This means you can require up to 4 people sign in consecutively to unlock a door. The system allows a maximum of 5 “Unlock Combinations”.



1) Add Unlock Group

Within “Access System”> “Unlock Group”, click “Add”. Select an “Unlock Combination number” from the dropdown menu, then change the “Description” and group fields.

2) Modify Unlock Combination

Within “Access System”>”Unlock Combination”, select an item and click “Modify”. Change the fields then click “Confirm” to finish.

3) Delete Unlock Group

Within “Access System”>”Unlock Group”, select an item and click “Delete”.

5.1.3 User Time Zone

Assign employee’s access rights, that includes unlock combination group number, and week time zone.

Steps:

Begin by selecting the device in the “Machine ID” dropdown menu. Change the Group (Unlock Combination Group Number) and week

period (Week Time Zone) fields.

Exit(E)

Dept structure list

Machine ID: 0011 Door No.: Door1 Search(E)

Group: 1

Week Period: 1Week Period 1

The week time zone is empty and so it is inv

Tip

For door access control machine, choose door 1 to assign when selecting the door
For one door two way access control panel, choose door 1 to assign when selecting the door
For dual door two way access control panel, choose door 1 and door 2 to assign when selecting the door
For four door one way access control panel, choose door 1, door 2, door 3, door 4 to assign when selecting the door

Unauthorized List

Name	Department	User ID
Sophie	Company	000000001
Tracy	Company	000000003
Daisy	Company	000000002
Ken	Company	000000004
5	Company	000000005
6	Company	000000006

Authorized List

Name	Department	Group	Week Period
------	------------	-------	-------------

Individually authorized

All authorized


Individually canceled

Cancel

6 0

Use the staff directory to find the employees and use the buttons (red circle in the image above) to move them onto the “Authorized List”.


Click “Exit” to finish.



Note: For devices produced by our company, each staff can be assigned one unlock group and one week time zone only.


5.1.4 Device Mngement

Once you have configured the settings throughout section 4.10, you may upload these access parameters within "Device Management". Select the devices with the check box on the left, then click the "Access Parameters Setting" within "Device Management" to upload these settings. (see image below)



5.1.5 Realtime Monitoring

The real-time monitoring of all devices. This requires a TCP/IP connection between the terminal and the device that hosts the AAS Software. Be sure to properly input proper values into the fields within “Device Management”.



The screenshot shows the main window of the Attendance Access System. At the top, there are buttons for Print(P), Export(T), and Exit(E), along with a checked 'Search Tool' option. Below these are search filters: 'Search Conditions' set to 'Staff Code', a search input field, and a 'Search(E)' button. The main area contains a table with the following data:

No.	Staff Code	Name	Department	User ID	Week	Date	Time	Machine ID	Reader
1	00000001	Sophie	Company	000000001	Tuesday	06/04/2019	16:59	1	1
2	00000001	Sophie	Company	000000001	Tuesday	06/04/2019	17:31	1	1

On the left side, there are additional filters for 'Time Period' (From: 06/01/2019, To: 06/04/2019) and 'Machine ID'. A sidebar shows a tree view with 'Company' selected and 'Sales' as a sub-item.

5.1.8 Button Event

Keeps track of button click event within the software that unlocks the door.

The screenshot shows the main window with search filters: 'Time Period' (From: 06/01/2019, To: 06/04/2019) and 'Machine ID'. The search results table is as follows:

No.	Machine ID	Week	Date	Time	Status	Door No.
1	1	Tuesday	06/04/2019	17:32	Software to open the door	1
2	1	Tuesday	06/04/2019	17:34	Software to open the door	1

5.1.9 Alarm Event

View Alarm events for the terminals such as unauthorized door unlocks and duress alarms.


The screenshot shows the main window with search filters: 'Time Period' (From: 06/01/2019, To: 06/04/2019) and 'Machine ID'. The search results table is as follows:

No.	Machine ID	Week	Date	Time	Status
1	1	Tuesday	06/04/2019	17:35	Dismantle alarm

Chapter 6. System Management

In the main window, look for "System Management" in the top left

corner. The menu includes **Change password**, **User Management**, **System Initialization**, **Duplicated original data processing**, **Compact Database**, **Restore Database**, **Backup Database**, **Clear Data**, and **Close System**.



Change password :Change the password to the AAS to prevent unintentional modification.

User Management : Add or modify AAS administrator accounts and their permissions.

System Initialization :Restore all AAS settings to default.

Process Duplicate Raw Data : Deletes redundant data within the system.

Compact Database :Compacts the database as the accumulation of data will affect performance of the system.

Backup Database : Creates a copy of the database.


Restore Database: Restore the database from an existing backup.

Clear Data :Delete expired data from the database.

6.1 Change Password

The default credentials for login is User Name: admin, Password:

(Blank). After finishing the settings, it is highly recommended that you set a new password to prevent unintentional system access.



Modify Password

Be careful original password will be invalid after change

User Name: admin


Old Password:

New Password:

Confirm New Password:

Confirm(S) Cancel(C)

6.2 User Management



All users	User Name	Full User Name	Whether to lock	Remark
admin-admin	admin	admin	No	admin

Steps:

1) Add AAS User

Within "User Management", click "Add" to bring up the "User Properties Page". (See image below)

User properties page

Save(S)... Exit(E)

User Name: Password: Confirm Password : Full User Name: User Description:

You must change the password for the next login

Rights Allotment: All allowed All canceled

Function of authorization:

Company Shift Allotment Original Report User Time Zo... User Manage...

Department Total Schedule Detailed Report Access Detail... Clear data

Staff Informati... Holiday Regis... Daily Report Button event Restore Data...

Staff Dimission Leave Registr... Monthly Report Alarm event

Parameter Set... Manual Punch Time Zone Device Face

Default Shift Overtime Rules Unlock Group Time Zone (F...

Shift Definition Device Finger... User Time Zone User Time Zo...

Shift Pattern Data Analysis Realtime Moni... User Time Zo...

Here you can enter the information and credentials for the user as well as their permissions within the system. After you are done, click “Save” to finish.

2) Modify AAS User

Select a user from the list and click “Modify”.

User Management

Add(N) Modify(U) Delete(D) Exit(E)

All users		User Name	Full User Name	Whether to lock	Remark
admin--admin		admin	admin	No	admin
2		2	S	No	admin


The “User properties page” will appear for you to modify the fields. Once finished, click “Save”.

3)Delete AAS User

Select a user from the list and click “Delete”.

6.3 System Initialization

Click **【System Initialization】** , enter the credentials to confirm this operation.



6.4 Duplicated original data processing

Within "System Management", click " Duplicated original data processing", the system will automatically delete duplicate data.


6.5 Compact Database

Within "System Management", click "Compact Database", the system will automatically complete the operation.

6.6 Backup Database


This operation creates a backup file within the directory you specified. In the event of system failure or corrupt files, this file can be used on a fresh installation to restore the settings.

Within "System Management", select "Backup Database". Use the windows prompt to select the directory.




6.7 Restore Database

Within “System Management”, click “Restore Database to bring up the authentication window. Enter the credentials.




With the windows prompt, navigate the directory to find the backup

file with .mdb extension. Click “open” to finish.




6.8 Clear Data

Within “System Management”, click “Clear Data”. Then enter your credentials.



Select the data for the desired months by clicking their corresponding checkboxes. Click “Confirm” to finish.



Clear data

<input type="checkbox"/>	2018-7	all data
<input type="checkbox"/>	2018-8	all data
<input type="checkbox"/>	2018-9	all data
<input type="checkbox"/>	2018-10	all data
<input type="checkbox"/>	2018-11	all data
<input type="checkbox"/>	2018-12	all data
<input type="checkbox"/>	2019-1	all data
<input type="checkbox"/>	2019-2	all data
<input type="checkbox"/>	2019-3	all data
<input type="checkbox"/>	2019-4	all data

Confirm

Exit